

Radiation Protection

No 175

Guidelines on Radiation Protection Education and Training of Medical Professionals in the European Union



EUROPEAN COMMISSION

RADIATION PROTECTION NO 175

GUIDELINES ON RADIATION PROTECTION EDUCATION AND TRAINING OF MEDICAL PROFESSIONALS IN THE EUROPEAN UNION

This report was prepared by a consortium led by the European Society of Radiology (ESR), under contract ENER/10/NUCL/SI2.581148 for the European Commission and represents the author's views on the subject matter. These views have not been adopted or in any way approved be the Commission and should not be relied upon as a statement of the Commission's views. The European Commission does not guarantee the accuracy of the data included in this report, nor does it accept responsibility for any use made thereof.



Europe Direct is a service to help you find answers to your questions about the European Union

Freephone number (*): 00 800 6 7 8 9 10 11

(*) Certain mobile telephone operators do not allow access to 00 800 numbers or these calls may be billed

More information on the European Union is available on the Internet (http://europa.eu).

Luxembourg: Publications Office of the European Union, 2014

ISBN 978-92-79-36420-4 doi: 10.2833/19786

© European Union, 2014

Reproduction is authorised provided the source is acknowledged.

Printed in Luxembourg

Luxembourg, February 2014

Since the discovery of radioactivity and x-rays at the end of the 19th century the medical uses of ionising radiation have increased tremendously, both in patient therapy and medical diagnosis. This has involved not only a marked increase in the number of procedures, but also an expansion into different areas of medicine and the creation of new medical specialties. Nowadays, complex radiation-based tools and techniques are used in most areas of modern medicine and by specialists who have differing levels of knowledge about the risks posed to human health by ionising radiation.

The need for education and training in radiation protection of the concerned medical specialists was realised long ago and different international organisations have issued recommendations in this respect. European legal requirements were introduced in this area during the 1980s, when Euratom legislation for radiation protection of patients was first adopted. This legislation was updated in 1997, when important new requirements – e.g., for theoretical and practical training, continuing education, the recognition of qualifications and the introduction of radiation protection in the curricula of medical and dental schools – were introduced. The most recent revision of the European legislation for radiation protection (Council Directive 2013/59/Euratom) maintains the education and training requirements of the previous legislation and provides a further basis for integrating the protection of medical staff and patients.

In 2000 the European Commission published "Radiation Protection 116: Guidelines on education and training in radiation protection for medical exposures". The main objective of the guidance provided on the following pages is to update the publication of 2000. Besides the obvious benefits of taking into account the scientific, technological and regulatory developments of the past decade, the present Guidelines bring several additional advantages: a) the document follows the modern format and terminology of the European Qualifications Framework for Lifelong Learning; b) detailed requirements for initial and continuing training are specified for each of the included professions; and, perhaps most importantly, c) the document was developed and endorsed by the major European professional societies in the area, which should provide strong support for its future implementation in everyday practice.

The publication of this report in the Commission's Radiation Protection series of publications has been recommended by the Group of Experts established under Article 31 of the Euratom Treaty.

Ivo Alehno Head of Radiation Protection Unit

EXECUTIVE SUMMARY

Article 7 of the Council Directive 97/43/Euratom (the Medical Exposure Directive, MED), June 30, 1997, on the protection of individuals against the dangers of ionising radiation in relation to medical exposure, lays down requirements for radiation protection education and training.

The European Commission realised that certain aspects of this article required some clarification and orientation for Member States and in 2000 published the 'Radiation Protection Report 116: Guidelines on education and training in radiation protection for medical exposures'. These guidelines contain some specific recommendations for the application of the Directive and it has served the Member States well.

However, the rapid technological development of the past decade and the constant growth of ionising radiation use in medicine have necessitated an update of this document. Furthermore, Radiation Protection Report 116 does not provide learning outcomes compatible with the European qualifications framework and does not include requirements and guidance adequate for new specialists using ionising radiation, in particular those outside imaging departments.

The present guidelines are an update of Radiation Protection Report 116, which take into account the recent technological advances, the education and training requirements of the Euratom Basic Safety Standards Directive, the European qualifications framework and includes new specialists using ionising radiation.

Radiation protection education and training starts at the entry level to medical, dental and other healthcare professional schools. The revised Euratom Basic Safety Standards Directive states that 'Member States shall ensure that practitioners and the individuals involved in the practical aspects of medical radiological procedures have adequate education, information and theoretical and practical training for the purposes of medical radiological practices, as well as relevant competence in radiation protection. For this purpose Member States shall ensure that appropriate curricula are established and shall recognise the corresponding diplomas, certificates or formal qualifications. Individuals undergoing relevant training programmes may participate in practical aspects of medical radiological procedures. Member States shall ensure that continuing education and training after qualification is provided, and, in the special case of the clinical use of new techniques, training is provided on these techniques and the relevant radiation protection requirements. Member States shall encourage the introduction of a course on radiation protection in the basic curriculum of medical and dental schools'.

Radiation protection courses for medical and dental students should include knowledge needed by a referring physician, i.e. basic knowledge on patient radiation protection such as biological effects of radiation, justification of exposures, risk-benefit analysis, typical doses for each type of examination etc. In addition, knowledge of the advantages and disadvantages of the use of ionising radiation in medicine, including basic information about radioactive waste and its safe management, should be part of radiation protection education and training for medical students. Learning outcomes for referrers are described in chapter three.

Radiation protection courses in dental schools should cover the same basic aspects as medical schools, mentioned above, as well as specific training for the safe operation of diagnostic X-ray equipment. These include the principles of X-ray tube operation, radiographic imaging, image processing, quality assurance programmes, occupational dose control and patient dose control etc.

The core radiation protection learning outcomes described in chapter two at European qualifications framework level three are sufficient for health professionals who are not

radiation workers or referrers, e.g. nurses without referring duties. Healthcare professionals who are classified as radiation workers require further knowledge, skills and competence and at higher European qualifications framework levels.

These guidelines have been divided into sections according to the roles of the healthcare professionals in question, and each section includes, in table format, learning outcomes in terms of knowledge, skills and competence. Recommendations at the required European qualifications framework level in radiation protection upon entry to the particular profession and the type of continuous professional development in radiation protection required for the particular profession are also given.

CONTENTS

Table of Contents

F	orewo	rd		3
Ε	xecuti	ve S	dummary	5
С	onten	s		7
Li	st of ta	able	s	10
1	Intr	odu	ction	11
	1.1	Bac	kground	11
	1.2	ME	DRAPET survey	13
	1.3	Rol	e of organisations	13
	1.4	Disc	ciplines not covered	14
	1.5	Hea	althcare professional schools	14
	1.6	The	structure of the guidelines	14
	Refer	ence	S	15
2			arning outcomes for radiation protection	
	Refer	ence	S	20
3	Lea		ng outcomes for referrers	
	3.1		liation protection professional entry requirements	
	3.2		tinuous professional development in radiation protection	
			S	
4			ng outcomes for physicians directly involved with the use of radiation.	
	Refer		s	
	4.1	Dia	gnostic radiologists	
	4.1	.1	Radiation protection professional entry requirements	
	4.1	.2	Continuous professional development in radiation protection	30
	Re	fere	nces	30
	4.2	Inte	rventional radiologists	36
	4.2	.1	Radiation protection professional entry requirements	36
	4.2	.2	Continuous professional development in radiation protection	36
	Re	fere	nces	36
	4.3		n-radiological specialists employing ionising radiation in interventional techni	
	4.3	.1	Radiation protection professional entry requirements	41
	4.3	.2	Continuous professional development in radiation protection	41
	Re	fere	nces	42
	4.4	Nuc	clear medicine specialists	47
	44	1	Radiation protection professional entry requirements	48

	4	.4.2	Continuous professional development in radiation protection	48
	R	Refere	nces	48
	4.5	Rac	liation oncologists	.52
	4	.5.1	Radiation protection professional entry requirements	52
	4	.5.2	Continuous professional development in radiation protection	52
	R	Refere	nces	53
5	L	earnir	ng outcomes for dentists/dental surgeons	57
	5.1		liation protection professional entry requirements	
	5.2	Cor	ntinuous professional development in radiation protection	.58
	Ref	erence	s	.58
6	L	earnir	ng outcomes for radiographers	63
	6.1	Rac	liation protection professional entry requirements	.64
	6.2	Cor	ntinuous professional development in radiation protection	.64
	Ref	erence	S	.64
7			ng outcomes in radiation protection for medical physicists/ medical phys	
	7.1	Rac	liation protection professional entry requirements	.74
	7.2	Cor	tinuous professional development in radiation protection	.74
	Ref	erence	S	.74
8			ng outcomes for nurses and other healthcare workers not directly involvuse of ionising radiation	
	8.1	Rac	liation protection professional entry requirements	.77
	8.2		ntinuous professional development in radiation protection	
	Ref	erence	S	.77
9	L	earnir	ng outcomes for maintenance engineers and maintenance technicians.	79
	9.1	Rac	diation protection professional entry requirements	.79
	9.2		ntinuous professional development in radiation protection	
			S	
1(itation, certification and recognition of medical education and training in protection	
	Ref	erence	S	.84
A	pper	ndix:	Syllabus and ECTS model for radiation protection education and traini	_
	Intro	oductio	on	.85
	ECT	ΓS for (education and training	.85
	EC1	ΓS for (continuous professional development	.86
			S	
1	1 E	ducat	ion and training resources	89
	11 1	1 =	uronean Commission Radiation Protection	89

11.2	IAEA Radiation Protection of Patients	89
11.3	Image Wisely	89
11.4	Image Gently	90
11.5	International Commission on Radiological Protection (ICRP)	90
11.6	International Radiation Protection Association (IRPA)	90
11.7	Optimization of Radiation protection for Medical Staff (ORAMED)	90
11.8	European Medical ALARA Network (EMAN)	90
11.9	European Training and Education in Radiation Protection (EUTERP) Fo	
11.10	Heads of the European Radiological protection Competent Authorities (•
11.11	American College of Radiology (ACR)	91
11.12	Australian Department of Health of Western Australia	91
Abbreviat	ions	93
Acknowle	edgements	97
ANNEX:	CRP 113 tables 3.1 and 3.2	98

LIST OF TABLES

Table 2.1	Core radiation protection topics	19
Table 2.2	Core learning outcomes in radiation protection for the healthcare professions	22
Table 3.1	Learning outcomes in radiation protection for referrers	28
Table 4.1.1	Learning outcomes in radiation protection for diagnostic radiologists	32
Table 4.2.1	Additional learning outcomes in radiation protection for interventional radiologists	38
Table 4.3.1	Learning outcomes in radiation protection for non-radiological specialists employing high-dose interventional techniques	43
Table 4.3.2	Learning outcomes in radiation protection for non-radiological specialists employing low-level interventional techniques	45
Table 4.4.1	Additional learning outcomes in radiation protection for nuclear medicine specialists	49
Table 4.5.1	Additional learning outcomes in radiation protection for radiation oncologists	54
Table 5.1	Learning outcomes in radiation protection for dentist/dental surgeons	59
Table 6.1	Core learning outcomes in radiation protection for radiographers	66
Table 6.1.1	Additional learning outcomes in radiation protection for radiology radiographers	68
Table 6.1.2	Additional learning outcomes in radiation protection for nuclear medicine technologists	69
Table 6.1.3	Additional learning outcomes in radiation protection for radiotherapy technologists	71
Table 7.1	Learning outcomes in radiation protection for medical physicists/medical physics experts	76
Table 8.1	Learning outcomes in radiation protection for nurses and other healthcare workers	78
Table 9.1	Additional learning outcomes in radiation protection for maintenance engineers and maintenance technicians	81
Table A1	Recommended syllabus and ECTS for radiation protection education and training for radiographers	87
Table A 3.1	ICRP 113 Table 3.1. Recommended radiological protection training requirements for different categories of physicians and dentists.	98
Table A 3.2	ICRP 113 Table 3.2. Recommended radiological protection training requirements for categories of healthcare professionals other than physicians or dentists.	99

1 INTRODUCTION

Our knowledge of the effects of ionising radiation on the human body, allows us to comprehend the mechanisms via which it can be rendered harmful, as well as the potential for ionising radiation as a tool for diagnosis and treatment.

It is very important to be aware, as professionals, of the possible dangers from exposure to ionising radiation. This awareness constitutes a key factor for the equitable exploitation of the possibilities ionising radiation has to offer for diagnosis and treatment versus its potential for harm.

Underestimating the health risks from exposure to ionising radiation could lead to unjustifiable patient and/or physician exposure, and to a concomitant increase in the overall population dose.

Overestimating the radiation risks, on the other hand, may lead the professional towards disproportionate concerns, and discourage patients from having necessary diagnostic or therapeutic radiological procedures.

Therefore, an assessment of the health risks from exposure to ionising radiation as opposed to the benefits involved should be carefully conducted in order to ensure appropriate referral (justification).

Exposure to ionising radiation should be minimised as much as possible whilst achieving the required diagnostic or therapeutic outcome (optimisation).

Education and training in general, and specifically training in the field of radiation protection, are widely recognised as key components of justification and optimisation programmes. An appropriate balance between education and training should be ensured, and hands-on training courses with a problem-solving approach should be organised and promoted. The faculty must have profound knowledge in medical radiation protection and, specifically, in the practical aspects of how to train a subject.

International and European organisations such as the International Commission on Radiological Protection (ICRP) [1, 2, 3, 5], International Atomic Energy Agency (IAEA) [6, 7, 8], World Health Organisation (WHO) [9, 10, 11, 12], and the European Commission (EC) [13, 14], recognise the importance of education and training in reducing patient and staff doses while maintaining the necessary level of quality for diagnostic and therapeutic procedures.

1.1 Background

Article 7 of the Council Directive 97/43/Euratom (the Medical Exposure Directive-MED) on the protection of individuals against the dangers of ionising radiation in relation to medical exposure (MED), lays down requirements for radiation protection education and training [15].

The EC realised that certain aspects of this Article required some clarification and orientation for Member States (MS) and in 2000 published the 'Radiation Protection Report 116: Guidelines on education and training in radiation protection for medical exposures (RP116)' [14]. These guidelines contain some specific recommendations for the application of the directive and it has served the MS well.

However, the rapid technological development of the past decade and the continuous growth of ionising radiation use in medicine have necessitated an update of these guidelines [16, 17]. Furthermore, RP116 does not provide learning outcomes compatible with the European

Qualifications Framework (EQF) and does not provide adequate coverage of requirements and guidance for new specialists using ionising radiation, in particular those outside imaging departments.

Today, medical procedures constitute by far the most significant artificial source of radiation exposure to the general population [18]. Since training in radiation protection is widely recognised as one of the basic components of optimisation programmes for medical exposure, it is necessary to establish a high standard of education and training, harmonised at European Union (EU) level.

The revised Euratom BSS Directive [19] states that 'Member States shall ensure that practitioners and the individuals involved in the practical aspects of medical radiological procedures have adequate education, information and theoretical and practical training for the purposes of medical radiological practices, as well as relevant competence in radiation protection. For this purpose Member States shall ensure that appropriate curricula are established and shall recognise the corresponding diplomas, certificates or formal qualifications. Individuals undergoing relevant training programmes may participate in practical aspects of medical radiological procedures. Member States shall ensure that continuing education and training after qualification is provided, and, in the special case of the clinical use of new techniques, training is provided on these techniques and the relevant radiation protection requirements. Member States shall encourage the introduction of a course on radiation protection in the basic curriculum of medical and dental schools'.

Therefore, in 2010, the EC initiated a project to study the implementation of the MED requirements in radiation protection education and training of medical professionals in the member states and to develop European Guidance containing appropriate recommendations for harmonisation at the EU level [20].

This project, with the title, Study on the Implementation of the Medical Exposures Directive's Requirements on Radiation Protection Training of Medical Professionals in the EU (MEDRAPET), was awarded to a consortium consisting of the following organisations:

European Society of Radiology (ESR), Austria, (Coordinator)

European Federation of Radiographer Societies (EFRS), the Netherlands

European Federation of Organisations for Medical Physics (EFOMP), United Kingdom

European Society for Therapeutic Radiology and Oncology (ESTRO), Belgium

European Association of Nuclear Medicine (EANM), Austria

Cardiovascular and Interventional Radiological Society of Europe (CIRSE), Austria.

The main objectives of this project were:

- 1. To carry out an EU-wide study on radiation protection education and training of medical professionals in the MS;
- 2. To organise a European Workshop on radiation protection education and training of medical professionals in the MS;
- 3. To develop European guidelines on radiation protection education and training of medical professionals.

This report concentrates on the third objective while taking into account the outcomes of the first two and the requirements of the Euratom BSS [19].

1.2 MEDRAPET survey

The survey was aimed at the main stakeholders within the EU and associated countries, with responsibility for ensuring the application of the MED, particularly in relation to articles 7 and 9 [15].

A response rate of 57% from the Radiation Protection Authorities (RPA) is considered extremely positive. The survey revealed that the regulatory framework of radiation protection education and training is well developed at the national level. Its implementation, however, is considered to be poor.

The responses from the Professional Societies (PS) showed that the fundamental understanding of the complexities of radiation protection and the concomitant knowledge base vary between different specialist groups.

All PS claim to have some kind of radiation protection education and training. The majority of this education and training is carried out at undergraduate level or during residency, with a lower percentage at the continuous professional development (CPD) level.

The results from the Educational Institutes (EI) suggest a need to increase communication between RPA, PS and EI, taking into account that EI should train healthcare professionals according to the professional profile defined by PS and the relevant EC Directives.

An overview of the results from the survey of key stakeholders clearly shows an urgent need to build a bridge between RPA, PS and EI, in order to achieve the goals of the MED and the Euratom BSS.

Creating legislation and providing guidelines at EU or national level is, by itself, not enough to create a radiation protection safety culture among healthcare professionals.

Radiation protection education and training are far from being harmonised, and in some instances have not been implemented.

1.3 Role of organisations

The main objective of organisations representing healthcare professionals is to maintain and improve the status of their profession. Therefore, they provide recommendations to their members on the following topics, not necessarily in the order listed:

- Education and training
- Level of knowledge, skills and competence (KSC)
- Continuous professional development (CPD)
- Ethical and professional code of practice

It is obvious to the healthcare professions, directly or indirectly involved with the use of ionising radiation, that radiation protection should form a part of the above mentioned topics, at the appropriate level for each profession.

PS exist at the regional, national and international level. More often than not, the regional and international organisations are networks of national organisations and provide similar recommendations that aim at harmonised implementation at the regional or international level.

European organisations which represent healthcare professionals are of paramount importance in the harmonisation of their professions, at least within Europe. They are striving to ensure the same level of KSC.

Input from the relevant European organisations involved in the MEDRAPET project was very important for the development of these guidelines and will also be crucial for their dissemination and use.

1.4 Disciplines not covered

The current version of these guidelines focuses on the disciplines mainly found in hospital/clinical environments. For the disciplines outside these environments the core education and training learning outcomes are regarded as sufficient (see chapter two).

The learning outcomes of radiation protection experts (RPE) working in the health-care environment have been developed by the European Network on Education and Training in Radiation Protection (ENETRAP) programme and are, therefore, not included in these guidelines [21].

1.5 Healthcare professional schools

Radiation protection education and training starts at the entry level to the medical, dental and other healthcare professional schools. The Euratom BSS Directive [19] states that 'Member States shall encourage the introduction of a course on radiation protection in the basic curriculum of medical and dental schools'. Radiation protection courses should, however, have a different orientation and content for medical and dental students [13].

Radiation protection courses for medical students should include knowledge needed by a referring physician, i.e. basic knowledge on patient radiation protection such as biological effects of radiation, justification of exposures, procedure optimisation, risk-benefit analysis, typical doses for each type of examination, etc. In addition, knowledge of the advantages and disadvantages of the use of ionising radiation in medicine, including basic information about radioactive waste and its safe management, should be part of radiation protection education and training for medical students. Learning outcomes for referrers are described in chapter three.

Radiation protection courses in dental schools should cover the same basic aspects as medical schools, mentioned above, as well as specific training for the safe operation of diagnostic X-ray equipment. These include the principles of X-ray tube operation, radiographic imaging, image processing, quality assurance (QA) programmes, occupational dose control and patient dose control etc. [13].

The core radiation protection learning outcomes, described in chapter two, at EQF level three are sufficient for health professionals who are not radiation workers or referrers, e.g. nurses without referring duties. Healthcare professionals who are classified as radiation workers require further KSC and higher EQF levels.

1.6 The structure of the guidelines

According to the EU recommendations on the establishment of the EQF for Lifelong Learning (LLL) professional qualifications have been classified into eight levels [22, 23]. Each of the eight levels is defined by a set of descriptors indicating the learning outcomes relevant to the qualifications at that level in terms of KSC. It should be understood that not all subject areas

included in the entry qualifications for a particular profession would be at the same level as the entry qualifications for the profession as a whole. Each profession consists of major and minor subject areas, where the major subject areas are considered to be core areas to the profession and their learning outcomes must be at the general level of the profession. Other subject areas that are auxiliary, or supporting, are at lower levels. An example of such a subject area is radiation protection, for which the learning outcomes level depends very much on the level of involvement of a particular health profession with ionising radiation. For example, while entry into the profession as a medical doctor requires at least KSC level 7 for the medical subject areas, radiation protection KSC level 5 may be sufficient if the particular medical doctor acts as referrer for the use of ionising radiation.

Education and training guidelines and KSC tables should be updated regularly to reflect technological and other advances in the field of medical radiation protection.

These guidelines have been divided into sections according to the healthcare profession in question, and each section includes KSC and CPD at the required level.

Each chapter includes two subsections, one on radiation protection level requirements upon entry to the particular profession and the other on the type of CPD in radiation protection for the profession. The first subsection specifies the KSC and the required EQF level in radiation protection upon entry to the particular profession and the second subsection specifies the type of CPD in radiation protection required for the particular profession, i.e. whether the radiation protection CPD is to acquire more KSC or to bring the entry KSC to a higher EQF level.

The structure of these guidelines will facilitate future amendments by various professions and the inclusion of new professions (see section 1.4).

These guidelines do not include details on the number of hours for radiation protection education and training. In accordance with the European recommendations for LLL [22], only learning outcomes are specified. It is up to the educational establishments to decide on the time required to achieve these learning outcomes for the particular profession at the corresponding level of LLL. The levels for radiation protection education and training required are different for the different professions and the KSC of each individual profession is currently at a different level. Guidance on the number of hours for radiation protection education and training with respect to diagnostic and interventional radiology (IR) can be found in ICRP publication 113 (tables 3.1 and 3.2, which are reproduced, with the permission of ICRP, in the annex) [5].

It is also important to note that healthcare professionals involved with multimodality imaging studies acquired using multimodality systems, such as positron emission tomography (PET)/computed tomography (CT) and single photon emission computed tomography (SPECT) /CT [24, 25 and 26] require the competence and certification in radiation protection for both diagnostic radiology and nuclear medicine (NM) as specified in sections 4.1 and 4.4 respectively.

References

- [1] ICRP, 2001. Radiation and your patient A Guide for Medical Practitioners. ICRP Supporting Guidance 2. Ann. ICRP 31 (4).
- [2] ICRP, 2004. Managing Patient Dose in Digital Radiology. ICRP Publication 93. Ann. ICRP 34 (1).
- [3] ICRP, 2007. The 2007 Recommendations of the International Commission on Radiological Protection. ICRP Publication 103. Ann. ICRP 37 (2-4).

- [4] ICRP, 2007. Radiological Protection in Medicine. ICRP Publication 105. Ann. ICRP 37 (6).
- [5] ICRP, 2009. Education and Training in Radiological Protection for Diagnostic and Interventional Procedures. ICRP Publication 113. Ann. ICRP 39 (5).
- [6] IAEA, 1996. International Basic Safety Standards for protection against Ionizing Radiation and for the Safety of Radiation Sources. Safety Series No. 115, Vienna.
- [7] IAEA, 2002. Training Course Series No. 18: Postgraduate Educational Course in Radiation Protection and the Safety of Radiation Sources, Standard Syllabus. IAEA, Vienna.
- [8] IAEA, 2010. Training Course Series No. 42: Radiation Biology: A Handbook for Teachers and Students. IAEA, Vienna.
- [9] WHO, 2000. Efficacy and radiation safety in interventional radiology. WHO, Geneva.
- [10] WHO, 2001. Quality Assurance Workbook for Radiographers and Radiological Technologists. WHO, Geneva.
- [11] WHO, 2004. Basics of Radiation Protection for Everyday Use How to Achieve ALARA: Working Tips and Guidelines. WHO, Geneva.
- [12] The Lancet, "Health Professionals for the new century: transforming education to strengthen health systems in an interdependent world", The Lancet and Education of Health Professionals for the 21st Century Commission, November 29, 2010.
- [13] EC, 2000, RP 116. Guidelines on Education and Training in Radiation Protection for Medical Exposures. Directorate-General Environment, Luxembourg http://ec.europa.eu/energy/nuclear/radiation_protection/doc/publication/116.pdf (Last time accessed was on the 14th of December 2012).
- [14] EC, 2000, RP 119. Multimedia and Audio-visual Radiation Protection Training in Interventional Radiology. Directorate-General Environment, Luxembourg http://ec.europa.eu/energy/nuclear/radiation_protection/publications_en.htm (Last time accessed was on the 14th of December 2012).
- [15] Council Directive 97/43/Euratom of 30 June 1997 on health protection of individuals against the dangers of ionizing radiation in relation to medical exposure, and repealing Directive 84/466/Euratom, Official Journal L-180 of 09.07.1997, p 22, http://eurlex.europa.eu/LexUriServ/LexUriServ.do?uri=CELEX:31997L0043:EN:HTML (Last time accessed was on the 14th of December 2012).
- [16] EC, 2010. Radiation Criteria for Acceptability of Medical Radiological Equipment used in Diagnostic Radiology, Nuclear Medicine and Radiotherapy: Invitation to tender No. ENER/D4/356-2010, Luxembourg, http://ted.europa.eu/udl?uri=TED:NOTICE:137169-2010:TEXT:EN:HTML (Last time accessed was on the 14th of December 2012).
- [17] EC, 2012, RP162. Criteria for Acceptability of Medical Radiological Equipment used in Diagnostic Radiology, Nuclear Medicine and Radiotherapy. Directorate-General Energy, Luxembourg, http://ec.europa.eu/energy/nuclear/radiation_protection/doc/publication/rp162web.pdf, (Last time accessed was on the 17th of December 2012).
- [18] UNSCEAR, "Sources and Effects of ionizing radiation: UNSCEAR 2008 Report to the General Assembly, with Scientific Annexes", Vol. 1, United Nations, New York, 2010.
- [19] Council of the European Union. (2013). Council Directive 2013/59/Euratom laying down basic safety standards for protection against the dangers arising from exposure to ionising radiation, and repealing Directives 89/618/Euratom, 90/641/Euratom, 96/29/Euratom, 97/43/Euratom and 2003/122/Euratom. Official Journal L-13 of 17.01.2014.

- [20] Invitation to tender No. ENER/D4/212-2010 concerning "Study on the Implementation of the Medical Exposures Directive's Requirements on Radiation Protection Training of Medical Professionals in the European Union", http://ec.europa.eu/dgs/energy/tenders/doc/2010/s092 137170 invitation.pdf (Last time accessed was on the 14th of December 2012).
- [21] ENETRAP, 2007. European Network on Education and Training in Radiological Protection Coordination Action, WD.06 Table of content of the pilot session in RP training. Euratom Research and Training on Nuclear Energy. http://www.sckcen.be/enetrap/aspx/viewer.aspx?dwnld=WD06WP7version2.pdf&widget=PUBDOC&i=766607D6-E526-40AC-AF93-001354743AD7 (Last time accessed was on the 17th of December 2012).
- [22] European Parliament and Council (2008) Recommendation 2008/C 111/01 on the establishment of the European Qualifications Framework for Lifelong Learning. Official Journal of the European Union 6.5.2008. http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=oj:c:2008:111:0001:0007:en:pdf (Last time accessed was on the 17th of December 2012).
- [23] EC, 2008. Explaining the European Qualification's Framework for Lifelong Learning. Office for the official publications of the European Union, Luxembourg.
- [24] EANM-ESR, 2007. White paper of the European Association of Nuclear Medicine (EANM) and the European Society of Radiology (ESR) on Multimodality Imaging. Eur J Nucl Med Mol Imaging, 34:1147-1151.
- [25] EANM-ESR, 2011. Multimodality Imaging Training Curriculum General Recommendations. Eur J Nucl Med Mol Imaging, 38:976-978.
- [26] EANM-ESR, 2011. Multimodality Imaging Training Curriculum Parts II and III. Eur J Nucl Med Mol Imaging, 39:557-562.

2 CORE LEARNING OUTCOMES FOR RADIATION PROTECTION

All healthcare professionals who work with ionising radiation, those who refer patients for diagnostic or therapeutic procedures, as well as those working within areas where ionising radiation is used, must acquire essential core KSC in radiation protection during the entry level of education and training in their respective schools (see section 1.5).

A review of the recommendations of international and European organisations [1, 2, 3, 4, 5], the wider literature [6, 7, 8, 9, 10], as well as the conclusions of the survey undertaken as part of the MEDRAPET Project (see section 1.2), suggest that the topics to be covered at this entry level should be those listed in Table 2.1. The corresponding KSC are listed in Table 2.2 and these should be at least EQF level 5.

Upon entering their respective professions, healthcare professionals may be required to have an enhanced KSC level for these topics, as well as additional and specific KSC for their profession (see section 1.6). These are outlined in the following chapters for the healthcare professions currently being considered. For those professions not yet specifically considered in these guidelines, the requirements should at least include the core learning outcomes presented in this section at the EQF level of the particular profession (see section 1.4).

Table 2.1: Core radiation protection topics

No.	Topic
1	Atomic structure, X-ray production and interaction of radiation
2	Nuclear structure and radioactivity
3	Radiological quantities and units
4	Physical characteristics of X-ray systems
5	Fundamentals of radiation detection
6	Fundamentals of radiobiology, biological effects of radiation
7	Risks of cancer and hereditary disease and effective dose
8	Risks of deterministic effects
9	General principles of radiation protection
10	Operational radiation protection
11	Particular patient radiation protection aspects
12	Particular staff radiation protection aspects
13	Typical doses from diagnostic procedures
14	Risks from foetal exposure to ionising radiation
15	Quality control and quality assurance in radiation protection
16	National regulations and international standards
17	Dose management of pregnant patients
18	Dose management of pregnant staff
19	The process of justification of imaging examinations
20	Management of accidents/unintentional exposures

All healthcare professionals who refer patients for diagnostic procedures, as well as those working within areas where ionising radiation is used, must take into consideration that specific population groups need special precautions to protect them from radiation.

Screening programmes involve asymptomatic persons and a prerequisite for a successful screening programme is that the images contain sufficient diagnostic information to be able to detect a given clinical condition, often malignancies, using as low a radiation dose as is reasonably achievable. This quality demand applies to every single screening image. An example of a screening programme is breast cancer screening [11]. Quality Control (QC) therefore must ascertain that the equipment performs at a consistently high quality level and that the exposure protocols used are optimised for the purpose.

Furthermore, diagnostic radiological examinations carry higher risk per unit of radiation dose for the development of cancer in unborn children, infants and children compared to adults [1, 12 and 13]. The higher risk is partly explained by the longer life expectancy in children for any harmful effect of radiation to manifest and the fact that developing organs and tissues are more sensitive to the effects of radiation. Therefore, it is particularly important that all radiological examinations performed on pregnant patients, young children and adolescents are justified and optimised with regard to radiation protection.

Healthcare professionals involved in such procedures, need to have specific KSCs for such procedures in order to assure adequate protection of asymptomatic persons participating in screening programmes, pregnant women, infants and children from routine diagnostic and interventional procedures utilising ionising radiation. The learning outcomes specified in the following chapters include the necessary KSC for these special situations.

References

- [1] ICRP, 2009. Education and Training in Radiological Protection for Diagnostic and Interventional Procedures. ICRP Publication 113. Ann. ICRP 39 (5).
- [2] IAEA, 2002. Training Course Series No. 18: Postgraduate Educational Course in Radiation Protection and the Safety of Radiation Sources, Standard Syllabus, IAEA, Vienna.
- [3] IAEA, 2010. Training Course Series No. 42: Radiation Biology: A Handbook for Teachers and Students. IAEA, Vienna.
- [4] WHO, 2004. Basics of Radiation Protection for Everyday Use How to Achieve ALARA: Working Tips and Guidelines. WHO, Geneva.
- [5] EC, 2000, RP 116. Guidelines on Education and Training in Radiation Protection for Medical Exposures. Directorate-General Environment, Luxembourg http://ec.europa.eu/energy/nuclear/radiation_protection/doc/publication/116.pdf (Last time accessed was on the 14th of December 2012).
- [6] The Lancet, "Health Professionals for the new century: transforming education to strengthen health systems in an interdependent world", The Lancet and Education of Health Professionals for the 21st Century Commission, November 29, 2010.
- [7] Fernandez Soto J. M., Vano E. and Guibelalde E., "Spanish Experience in Education and Training in Radiation Protection in Medicine", Radiation Protection Dosimetry (2011), Vol. 147 No. 1-2, pp. 338-342.
- [8] Ohno K. and Kaori T., "Effective Education in Radiation Safety for Nurses", Radiation Protection Dosimetry (2011), Vol. 147, No.1 -2, pp. 343-345.
- [9] Akimoto T., Caruana C. Shimosegawa J., M., "A qualitative comparative survey First Cycle radiography programmes in Europe and Japan", Radiography (2009), 15, pp. 333-340.

- [10] Kourdioukova E. V., Valcke M., Derese A., Verstraete K. L., "Analysis of radiology education in undergraduate medical doctors", European Journal of Radiology, 78 92011) pp. 309-318.
- [11] EC, 2006. European guidelines for quality assurance in breast cancer screening and diagnosis Fourth Edition. Perry N, Broeders M, de Wolf C, Törnberg S, Holland R, von Karsa L, Puthaar E (eds), Office for Official Publications of the European Communities, Luxembourg.
- [12] IAEA, 2012. Safety Report Series No. 71, "Radiation Protection in Paediatric Radiology", IAEA, Vienna, 2012.
- [13] NRCNA, 2006, "Health risks from exposure to low levels of ionizing radiation; BEIR VII phase 2, Committee to Assess Health Risks from Exposure to Low Levels of Ionizing Radiation", National Academies Press, Washington, DC (2006), http://www.nap.edu/openbook.php?isbn=030909156X (last accessed on the 24th of May 2013).

Core learning outcomes in radiation protection for the healthcare professions **Table 2.2:**

		Ę
Competence	(responsibility and autonomy)	regulatory requirements in daily practice
Skills	(cognitive and practical)	S1. Apply radiation protection measures in daily practice S2. Communicate the most important factors that influence staff doses S3. Compare reported doses from medical procedures to doses from natural sources Interpret radiation risks in the context of other risks in daily life S5. Identify the legal radiation protection obligations in daily practice
Knowledge	(facts, principles, theories, practices)	 K1. Describe and explain atomic structure K2. Describe the nuclear structure and explain the laws of radioactive decay K3. List and explain the fundamental radiological quantities and units K4. Describe the physical characteristics of X-ray systems K6. Explain the fundamentals of radiation detection K6. Explain the fundamentals of radiation detection K6. Explain the fundamentals of radiation detection K7. Explain the relation between effective dose and the risk of cancer and hereditary diseases K8. Explain the differences between deterministic and stochastic effects and their respective dose ranges K9. Describe the general principles of radiation K10. Explain the 'linear no-threshold' (LNT) hypothesis K11. List and explain radiation protection aspects with respect to patients K12. List and explain radiation protection aspects with respect to staff K13. List typical doses from diagnostic procedures K14. Explain the risks to the foetus from exposure to ionising radiation K15. Understand the principles of QC and QA with respect to radiation protection in the healthcare setting K17. Understand the concepts of justification and optimisation K18. Explain accidental/unintended exposures
		Core radiation protection

3 LEARNING OUTCOMES FOR REFERRERS

Medical imaging involving the use of ionising radiation (X-rays or radionuclides) is a major and increasing source of radiation exposure worldwide. Before CT was introduced in the 1970s, the most common imaging examination was radiography, which usually involved a rather small radiation dose for the patient. Currently, CT is the preferred imaging modality and the largest contributor to radiation dose from medical exposure. CT scans may lead to organ doses that can be several hundred times higher than doses typically delivered during radiography. Many patients undergo multiple CT examinations and some also undergo multiple NM examinations [1,2].

The basic radiation protection principles for medical exposure, as outlined by the ICRP, are the justification of exposure and optimisation of radiation protection [3]. They have been incorporated into the Euratom legislation [4]. Justification requires that the potential benefit for the patient outweighs the associated radiation risk. While referrers are typically skilled at estimating the benefit of a radiological procedure for an individual patient, the radiation risk itself has not received the attention it deserves. Although the radiation protection community uses the word justification, the term 'imaging appropriateness' is more common among radiologists who use 'appropriateness criteria' developed by professional societies such as the Royal College of Radiologists (RCR) or the American College of Radiology (ACR) [5,6]. The referrer and practitioner should be involved, as specified by the MS, in the justification process at the appropriate level. Optimisation does not fall within the domain of referrers; however, referrers are responsible for providing the imaging facility with clinical information pertaining to the patient, in order to help the practitioner justify or assess the appropriateness of the examination and tailor the examination to the patient.

According to the Euratom BSS, medical exposure should show a sufficient net benefit, weighing the total potential diagnostic or therapeutic benefits it produces, including the direct health benefits to an individual and the benefits to society, against the individual harm that the exposure might cause, taking into account the efficacy, benefits and risks of available alternative techniques having the same objective but involving no or less exposure to ionising radiation.

In particular, the following requirements should be met:

- (a) new types of practices involving medical exposure are justified in advance before being generally adopted;
- (b) all individual medical exposures are justified in advance taking into account the specific objectives of the exposure and the characteristics of the individual involved;
- (c) if a type of practice involving medical exposure is not justified in general, a specific individual exposure of this type can be justified, where appropriate, in special circumstances, to be evaluated on a case-by-case basis and documented;
- (d) the referrer and the practitioner, as specified by Member States, seek, where practicable, to obtain previous diagnostic information or medical records relevant to the planned exposure and consider these data to avoid unnecessary exposure;
- (e) medical exposure for medical or biomedical research are examined by an ethics committee, set up in accordance with national procedures and/or by the competent authority;
- (f) specific justification for medical radiological procedures to be performed as part of a health screening programme are carried out by the competent authority in conjunction with appropriate medical scientific societies or relevant bodies;

- (g) the exposure of carers and comforters show a sufficient net benefit, taking into account the direct health benefits to a patient, the possible benefits to the carer/comforter and the detriment that the exposure might cause;
- (h) any medical radiological procedure on an asymptomatic individual, to be performed for the early detection of disease, is part of a health screening programme, or requires specific documented justification for that individual by the practitioner, in consultation with the referrer, following guidelines from relevant medical scientific societies and the competent authority. Special attention shall be given to the provision of information to the individual subject to medical exposure.

The implementation of the justification principle has been approached through the establishment of 'appropriateness criteria' or 'referral guidelines' as provided by professional bodies [5, 6, 7]. The EC issued in 2000, and updated in 2003, a booklet with referral guidelines for imaging, for use by health professionals referring patients for medical imaging. In 2010 this outdated document was removed from the EUROPA website upon request from the owner of the intellectual property rights. There has been talk of updating these guidelines. Nevertheless, updated guidelines from professional societies are available [5, 6, 7]. These publications constitute decision support tools to guide referring medical practitioners in the selection of the optimal imaging procedure for certain diagnostic questions. Where there is an alternative that does not use ionising radiation, but yields results of similar clinical value, the guidelines advises against radiological procedures with ionising radiation. Publications such as those mentioned above provide specific directions to help practitioners properly justify procedures.

A number of studies have been published indicating that 20% to 40% of CT scans could be avoided if clinical decision guidelines were followed; some studies suggest even higher numbers of avoidable examinations [1]. Furthermore, several studies have revealed a very low awareness of the referral guidelines [9, 10, 11, 12].

The IAEA has provided information for referrers through its website [13]. It includes a framework for justification, different levels at which justification is applied, responsibilities of referrers, practice of justification, reasons for over-investigation and the knowledge required for proper justification of a radiological procedure. It also includes information from the RCR imaging referral guidelines (iRefer) and provides the following guidance [13,14]:

When is an investigation useful and what are the reasons that cause unnecessary use of radiation?

According to the guidelines that were published by the EC in 2000, and revised in 2003 and the guidelines published by the RCR [14], a useful investigation is one in which the result, either positive or negative, will alter a patient's management or add confidence to the referrer's diagnosis. According to these guidelines, there are some reasons that lead to wasteful use of radiation. With an emphasis on avoiding unjustified irradiation of patients, these guidelines have provided a check list for physicians referring patients for diagnostic radiological procedures:

HAS IT BEEN DONE ALREADY? It is important to avoid repeating investigations which have already been performed relatively recently. Sometimes it is not possible to accurately track the procedure history of patients. Furthermore, patients may not be able to inform the practitioner that they had a similar procedure recently. It is important to try to retrieve previous patient procedures and reports, or at least procedure history when possible. Digital data stored in electronic databases may help with this.

To help avoid repeating investigations, it is advisable to establish a tracking system for radiological examinations (especially CT, interventional procedures and NM) and patient dose. The IAEA has taken steps towards this by setting up the "IAEA Smart-Card/SmartRadTrack" project [15]. Countries should consider including necessary provisions in their national requirements for patient radiation exposure tracking.

DO I NEED IT? Performing investigations that are unlikely to produce useful results should be avoided, i.e. procedures should be requested only if they will change patients' management. It is important for the practitioner to be sure that the finding that the investigation yields is relevant to the case under investigation.

DO I NEED IT NOW? Investigating too quickly should be avoided. The referrer should allow enough time to pass so that the patient's symptoms or the impact from managing the symptoms is sufficiently evident.

IS THIS THE BEST EXAMINATION? Doing the examination without first taking into consideration safety, resource utilisation or diagnostic outcome should be avoided. Discussion with a practitioner may help referrers decide on the proper modality and technique.

HAVE I EXPLAINED THE PROBLEM? Failure to provide appropriate clinical information and address questions that the imaging investigation should answer should be avoided. Failures here may lead to the wrong technique being used (e.g. the omission of an essential view).

ARE TOO MANY INVESTIGATIONS BEING PERFORMED? Over-investigating should be avoided. Some physicians tend to rely on investigations more than others. Some patients take comfort in being investigated.

The referrer should be aware of procedures that expose patients to high radiation doses and exercise extra caution in these instances. This however, does not imply that low-dose procedures can be ordered without proper justification. A quantitative knowledge of doses from various procedures is useful for the referrer. A review of radiation doses, their meaning and their role in risk assessment is available [16, 17, 18]. Some NM procedures are also responsible for high radiation doses to patients and information on doses is available [19]. Information on radiation exposure in pregnancy is also available [20].

Table 3.1 provides learning outcomes for the referrers. The knowledge required covers principles of justification; different levels at which the justification principle is applied; requirements for referrers as specified in the Euratom BSS, including information for patients and specific knowledge required to deal with radiation exposure in pregnancy, women of childbearing age, breastfeeding mothers and children. The corresponding information for skills and competence is provided in the table.

3.1 Radiation protection professional entry requirements

Radiation protection is a minor subject for Referrers and should be at level 5 of the EQF upon their entry to the profession¹.

3.2 Continuous professional development in radiation protection

Referrers should update their radiation protection KSC at regular intervals in order to maintain their radiation protection competence and update their knowledge on new diagnostic procedures and their justification.

It is important to note here that a large number of Referrers may be General Practitioners (GPs)/Family Doctors that practice individually or in small health centres. They may not have daily contact with diagnostic facilities, unlike specialists in major hospitals, or the opportunity

The reader is referred to section 1.6 for more information.

to participate in in-house CPD activities. Therefore they should seek to make arrangements with centres that provide CPD activities in radiation protection as appropriate, in the best interests of patient care.

References

- [1] Rehani M., Frush D. Tracking radiation exposure of patients. Lancet 2010; 376(9743): 754-5.
- [2] Sodickson A, Baeyens PF, Andriole KP, et al. Cumulative radiation exposure, and associated radiation-induced cancer risks from CT of adults. Radiology 2009; 251(1): 175-84.
- [3] ICRP, 2007. Recommendations of the ICRP, Publication 103, Pergamon Press, Oxford (2007).
- [4] Council of the European Union. (2013). Council Directive 2013/59/Euratom laying down basic safety standards for protection against the dangers arising from exposure to ionising radiation, and repealing Directives 89/618/Euratom, 90/641/Euratom, 96/29/Euratom, 97/43/Euratom and 2003/122/Euratom. Official Journal L-13 of 17.01.2014.
- [5] Royal College of Radiologists, 2012. iRefer Making the best use of clinical radiology, 7th edition. London, UK: Royal College of Radiologists.
- [6] American College of Radiology. ACR Appropriateness Criteria®. http://www.acr.org/secondarymainmenucategories/quality-safety/app-criteria.aspx (Last accessed on the 26th January 2012).
- [7] Diagnostic imaging pathways. A Clinical Decision Support Tool and Educational Resource for Diagnostic Imaging. Government of Western Australia, Department of Health. http://www.imagingpathways.health.wa.gov.au/includes/index.html (Last accessed on the 26th January 2012).
- [8] Brenner, J.D., Doll, R., Goodhead, D.T., Hall, E.J., et al., Cancer risks attributable to low doses of ionizing radiation: Assessing what we really know. P Natl Acad Sci USA 100(24) (2003) 13761-13766.
- [9] Kumar S, Mankad K, Bhartia B. Awareness of making the best use of a Department of Clinical Radiology amongst physicians in Leeds Teaching Hospitals, UK. BJR 2007; 80(950): 140.
- [10] Hirschl DA, Ruzal-Shapiro C, Taragin BH. Online Survey of Radiologic Ordering Practices by Pediatric Trainees. J Am CollRadiol 2010; 7: 360-3.
- [11] Bautista AB, Burgos A, Nickel BJ, Yoon JL, Tilara AA, Amorosa JK. Do Clinicians Use the American College of Radiology Appropriateness Criteria in the Management of Their Patients? AJR 2009; 192: 1581-5.
- [12] Chiunda AB, Tan-Lucien H. Mohammed. Knowledge of ACR Thoracic Imaging Appropriateness Criteria among Trainees: One Institution's Experience. Acad Radiol 2012 Feb 18. [Epub ahead of print].
- [13] Radiation Protection of Patients. Information for referring medical practitioners. https://rpop.iaea.org/RPOP/RPoP/Content/InformationFor/HealthProfessionals/6 Other ClinicalSpecialities/referring-medical-practitioners/index.htm (Last time accessed was on the 14th of December 2012).

- [14] The Royal College of Radiologists (RCR's) imaging referral guidelines, iRefer, http://www.rcr.ac.uk/content.aspx?PageID=995 (Last time accessed on 17th of June 2012.
- [15] IAEA Smart Card protect: https://rpop.iaea.org/RPOP/RPoP/Content/News/smart-card-project.htm (Last time accessed was on the 14th of December 2012).
- [16] Radiation Protection of Patients website of the IAEA. Computed tomography: https://rpop.iaea.org/RPOP/RPoP/Content/InformationFor/Patients/patient-information-computed-tomography/index.htm (Last time accessed was on the 14th of December 2012).
- [17] Radiation Protection of Patients website of the IAEA. Information for public https://rpop.iaea.org/RPOP/RPoP/Content/InformationFor/Patients/information-public/index.htm (Last time accessed was on the 14th of December 2012).
- [18] Radiation Protection of Patients website of the IAEA. Interventional cardiology: https://rpop.iaea.org/RPOP/RPoP/Content/InformationFor/HealthProfessionals/5_InterventionalCardiology/index.htm#IntCardFAQ11 (Last time accessed was on the 14th of December 2012).
- [19] Radiation Protection of Patients website of the IAEA. Nuclear Medicine: https://rpop.iaea.org/RPOP/RPoP/Content/InformationFor/HealthProfessionals/3_NuclearMedicine/DiagnosticNuclearMedicine-Generalissues.htm (Last time accessed was on the 14th of December 2012).
- [20] Radiation Protection of Patients website of the IAEA. Radiation exposure in pregnancy: https://rpop.iaea.org/RPOP/RPoP/Content/SpecialGroups/1_PregnantWomen/index.htm (Last time accessed was on the 14th of December 2012).

Table 3.1: Learning outcomes in radiation protection for referrers

		Knowledge		Skills		Competence
		(facts, principles, theories, practices)		(cognitive and practical)		(responsibility and autonomy)
	天 		S1.		C1. T	Take responsibility for justification in
		application at different levels including for		groups of patients and individuals including	ตั	accordance with requirements in European
		asymptomatic individuals and on a case by case		the exposure of asymptomatic individuals,	ต	and national legislation and guidelines of
	Š			comforters and carers		professional bodies
	χ. 		S2.	Identify situations in which the use of ionising	C2.	Implement published appropriateness criteria
		are tormally approved through legislative or		radiation is justified in the case of pregnant		in own practice
	7	Explain why cortain aroune are more eneceptible to		women, women of reproductive age, children	C3.	Provide necessary information in referral for
	ż			or breast feeding mothers	.⊑	imaging facility to aid in optimisation of an
		pregnant patients)	SS S	Assess the cumulative effective dose for a		examination
ļu	X				C4.	Advise actions in case of inadvertent
əι	:		%			radiation exposure of a pregnant patient
uə		radiological examination as specified by European		justification in cases for which	C5. B	Be competent to diagnose radiation induced
98		and national legislation.			S	skin injury and other potential radiation
u	K5.	List approximate values of radiation doses for	S5.		ē	effects in a patient or a worker in a radiation
eu.		common diagnostic examinations		procedures to specific patients	ţ <u>o</u>	facility and avoid unnecessary referral
ΚI	Ж6.		Se	Inform patients of their health problems and	C6. A	Act as a role model for junior colleagues to
Sļ.		and radiological information from previous		the planned procedure	S	support the processes of justification and
ı/ʎ		examinations in the process of justification	S7.	Communicate the radiation risk to the patient	0	optimisation of radiation protection
1 ə	7.			at an understandable level, whenever there		•
je:		non-ionising radiation is better than one using		is a significant deterministic or stochastic		
3 1		_		risk, or when the patient has a question		
uə	X 89.			-		
iti						
Вβ	Α					
		with respect to benefits and radiation risk and risk				
		of procedures in own area of practice				
	K10.	 Explain principles governing the use of ionising 				
	조 -	_				
		involving the use of a radiopharmaceutical for				
		breastfeeding women and action warranted to				
	K12.	 Explain circumstances in your practice where use of ionising radiation on a child is institled. 				

4 LEARNING OUTCOMES FOR PHYSICIANS DIRECTLY INVOLVED WITH THE USE OF RADIATION

The benefits of many procedures, which utilise ionising radiation, are well established and accepted within the medical profession and by society at large. In order to be deemed acceptable, these benefits should substantially outweigh any risks which patients are exposed to during these procedures. This is the basis of the diagnostic and therapeutic application of ionising radiation in healthcare. When a procedure requires exposure to ionising radiation the risks to be considered include the associated short and long-term health risks [1].

Having established the benefits of ionising radiation for the patient, the justification process ensures that this benefit substantially outweighs any of the short or long-term risks that the patient may be exposed to.

The ICRP in its 1990 and 2007 recommendations states, as a principle of justification, that "Any decision that alters the radiation exposure situation should do more good than harm" [2, 3]. Elaborating on the expression "more good than harm" and taking into account the inherent uncertainty of risk estimation, the benefit should, indeed, substantially outweigh the incurred risks.

Furthermore, the ICRP recommends using three conceptual levels of justification:

- justification of medical use of radiation in general,
- justification of generic medical procedures (such as the value of mammography as a practice), and
- explicit justification of a specific procedure with a specific patient.

This chapter focuses on the latter level of justification, the responsibility for which lies jointly with the referrer and the practitioner.

The radiation protection education and training of physicians directly involved in the use of ionising radiation should be of high standards as to allow them to follow this principle of justification on a case-by-case base. The aim of this chapter is to provide the necessary KSC on radiation protection for each discipline involved directly with the use of ionising radiation.

References

- [1] Malone, J. et.al, Justification of a Consultation on Justification of Patient Exposures in Medical Imaging, Radiation Protection Dosimetry, Vol. 135, No.2, pp. 137-144, 2009.
- [2] ICRP, 1991. The Recommendations of the International Commission on Radiological Protection, ICRP Publication 60, Ann. ICRP 21 (1-3), 1991.
- [3] ICRP, 2007. The 2007 Recommendations of the International Commission on Radiological Protection, ICRP Publication 103, Ann. ICRP 37 (2-4), 2007.

4.1 Diagnostic radiologists

The ESR has issued the European Training Charter [1] with the aim of harmonising and enhancing the quality of radiological care in Europe by providing a template for trainees and

educators. The charter defines a five-year training period in radiology. The core knowledge of the first three years of training should not only include relevant radiographic anatomy, principles of imaging technology, basis of molecular medicine regarding imaging, fundamentals of clinical research and evidence-based medicine, but also physics and radiation protection.

During the fourth and fifth years, trainees may opt for training in a subspecialty alongside general radiology, or opt for general radiology itself as a subspecialty interest area. After the initial radiology training of five years, fellowship training can be undertaken in a single subspecialty, which requires a specific curriculum.

The ESR recognises the need for organ system-based subspecialisation rather than technology-based subspecialisation. It is likely that disease-oriented education will be required in certain areas. The publication of regular editions of the Training Charter will keep it up-to-date with developments in various fields of radiology so it can continue to meet the requirements of radiologists in training.

As healthcare systems vary among countries within the EU, hopefully this document will help national societies structure their programmes, in coordination with their government and other competent authorities, into training programmes with a minimum of five years. The completed training scheme should be sufficient for performing independent practice safely. However, bearing in mind differences among countries, it is generally accepted that application of the proposed structure will vary in some aspects among countries [2].

The EC has identified a lack of knowledge on the inherent risks of diagnostic imaging, among both referring doctors and radiological staff [3]. The White Paper on radiation protection from the ESR summarises all the different aspects of X-ray-based medical imaging [4]. It is of the utmost importance for radiologists to understand the scientific basis of diagnostic imaging, including the associated risks, in order to make the best use of diagnostic modalities for the benefit of the patient. Therefore, education and training in radiation protection should start from the very beginning of radiology training and continue throughout the entire career [5]. Professional education has to keep pace with the development of new, more sophisticated diagnostic tools, as static curricula are producing medical professionals without sufficient competence [6]. Specific training in related radiation protection aspects should be organised, together with the development of imaging tools and the implementation of new techniques in an institution.

The complete list of topics from the EC document RP116 [7] should be included in radiation protection programmes in diagnostic radiology. These are included in Table 4.1.1.

4.1.1 Radiation protection professional entry requirements

The professional entry requirements for Diagnostic Radiologists should be equivalent to EQF² level 7. Radiation protection is a major subject for Diagnostic Radiologists and should be at the same level as their professional entry level requirements for the EQF [8].

4.1.2 Continuous professional development in radiation protection

Through their careers Diagnostic Radiologists advance to EQF level 8 and this should be through CPD activities that enhance their KSC to level 8 [9]. Special emphasis should be given to new diagnostic systems, the acquisition of skills in the practical use of such systems and in general to advance their justification competence in diagnostic procedures.

References

[1] Revised European Training Charter for Clinical Radiology http://www.myesr.org/html/img/pool/European_Training_Charter_current_version_February_2011.pdf (Last time accessed was on the 14th of December 2012).

_

The reader is referred to section 1.6 for more information.

- [2] Charter on training of medical specialists in the European Community http://www.uems.net/ (Last time accessed was on the 14th of December 2012).
- [3] EC, 2010. Communication to the European Parliament and the Council on medical applications of ionizing radiation and security of supply of radioisotopes for nuclear medicine, COM (2010)423 http://eur-lex.europa.eu/LexUriSery/LexUriServ.do?uri=CELEX:52010DC0423:EN:NOT (Last time accessed was on the 14th of December 2012).
- [4] White Paper on Radiation Protection http://www.myesr.org/html/img/pool/ESR_at_Work_02_White_Paper_on_Radiation_Protection.pdf (Last time accessed was on the 14th of December 2012).
- [5] ICRP, 2009. Education and Training in Radiological Protection for Diagnostic and Interventional Procedures. ICRP Publication 113. Ann. ICRP, 2009;39:1-68.
- [6] Frenk J, Chen L, Bhutta ZA et al. Health professionals for a new century: transforming education to strengthen health systems in an interdependent world Lancet 2010;376:1923–58.
- [7] EC, 2000, RP 116. Guidelines on Education and Training in Radiation Protection for Medical Exposures. Directorate-General Environment, Luxembourg. http://ec.europa.eu/energy/nuclear/radiation_protection/doc/publication/116.pdf .(Last time accessed was on the 14th of December 2012)
- [8] ESR Diploma in Radiology, http://www.myesr.org/cms/website.php?id=/29634/en/education_training/elearning/european_diploma_in_radiology_edir_.htm (Last time accessed was on the 14th of December 2012).
- [9] CME&CPD Guidelines http://www.myesr.org/html/img/pool/ESR 2006 III CMECDP Web.pdf (Last time accessed was on the 14th of December 2012).

Guidelines on radiation protection education and training of medical professionals in the European Union

Table 4.1.1: Learning outcomes in radiation protection for diagnostic radiologists

		Knowledge	Skills	Competence
		(facts, principles, theories, practices)	(cognitive and practical)	(responsibility and autonomy)
	<u> 주</u> ਨ	List sources and properties of ionising radiation List and explain mechanisms of interaction	S1. Apply radiation physics to optimally select the best imaging modality	
S		between ionising radiation and matter/tissues	S2. Apply radiation physics to optimise the	
ois/	Ж. Э.	List and explain mechanisms of radioactive	protocols, using minimal exposure to reach	
۲ųc	4	decay Explain the phenomena of X-ray interaction with	The intrage quality level needed for the task S3. Use the laws of physics to minimise scatter	
lu		matter and the consequences for image	and optimise contrast	
oit		generation, image quality and radiation	S4. Use the correct terms to characterise	
eil		exposure	exposure in daily radiograph fluoroscope and	
90	K2	List and explain definitions, quantities and units	CT examinations and define organ risk, and	
Я		of kerma, absorbed energy dose (Gy), organ	estimate the genetic and cancer risk	
		and effective doses (Sv), as well as exposure		
		rate and dose rate		
	We	Explain the mechanism of X-ray production	S5. Continuously check image quality to	C1. Choose the best equipment for your patient
	Κ7.	List the components of an X-ray unit and	recognise and correct technical defects	spectrum based on the resources available
		explain the process of X-ray generation	S6. Demand the best in image quality, technical	
1	Ж 8	Explain the function of filters and diaphragms	innovation and exposure reduction for the	
uə	Ж Э	List the common analogue and digital detectors,	lowest cost	
w		explain their function and their relative pros and	S7. Coordinate the commissioning of new	
diı		cons	equipment with the other members of the core	
1b	K10.	. Explain the role of screens (in analogue	team (radiographer, medical physicist)	
3		radiography) and grids and their effect on	S8. Use the technical features of the specific	
		image quality and exposure	equipment and take advantage of all quality-	
			improving and dose-reducing capabilities	
			while recognising the limits of the machine	

	Knowledge	Skills	Competence
	(facts, principles, theories, practices)	(cognitive and practical)	(responsibility and autonomy)
Radiobiology	K11. Describe radiation effects on cells and DNA K12. Describe cellular mechanisms of radiation response, repair, and cell survival K13. Describe radiation effects on tissues and organs K14. Explain differences in radiation response between healthy tissue and tumours as basis for radiation treatment K15. Define and explain stochastic and teratogenic radiation effects and tissue reactions K16. Describe types and magnitudes of radiation risk from radiation exposure in medicine	S9. Inform patients of their health problems and the planned procedure S10. Communicate the radiation risk to the patient at an understandable level, whenever there is a significant deterministic or stochastic risk, or when the patient has a question	
General radiation protection	K17. Describe the basic principles of radiation protection, as outlined by the ICRP K18. Specify types and magnitudes of radiation exposure from natural and artificial sources K19. Describe concepts of dose determination and dose measurement for patients, occupationally exposed personnel and the public K20. Explain the nature of radiation exposure and the relevant dose limits for the worker, including organ doses and dose limits for pregnant workers, comforters, careers, and the general public	S11. Communicate with referrer regarding justification; if necessary, suggest a different test S12. Apply the three levels of justification in daily practice, with respect to existing guidelines, but also to individual cases (e.g. polymorbidity)	C2. Take responsibility for choosing the best imaging modalities for the individual patient (radiography, CT, alternatives such as ultrasound or MRI) by taking into consideration the risk of the disease, patient, age and size, the dose level of the procedure, and exposure of different critical organs C3. Consult both the patient and staff on pregnancy related concerns in radiation protection C4. Take responsibility for patient dose management in different imaging modalities being aware of specific patient dose levels

	Knowledge		Skills		Competence
	(facts, principles, theories, practices)		(cognitive and practical)		(responsibility and autonomy)
K21.	K21. Define ALARA and its applicability to diagnostic	S13.	Optimise imaging protocols by using	C2.	Advise patients on the radiation-related risks
	radiology settings		standard operating procedures (SOPs) and		and benefits of a planned procedure
K22.	Explain the concepts and tools for dose		by adapting these to the specific patient's	09	Take responsibility for justification of
	management in diagnostic radiology with regard		size		radiation exposure for every individual
	to adult and paediatric patients	S14.	Use specific paediatric protocols, by taking		patient, with special consideration for
K23.	Explain the factors influencing image quality		into consideration the physics of small size,		pregnant patients
	and dose in diagnostic radiology		but also the elevated risk, vulnerability and	C7.	Take responsibility for choosing and
K24.	Describe the methods and tools for dose		specific pathology of each age group		performing the diagnostic procedure with
	management in diagnostic radiology:	S15.	Choose the best compromise between risk-		the lowest dose for a given referrer's
	radiography, fluoroscopy, CT, mammography,		benefit ratios, image quality and radiation		request
	and those for paediatric patients		exposure on a case-by-case basis.	89	Take responsibility for optimising the
K25.	Explain the basic concepts of patient dose	S16.	Supervise the use of personal protective		radiographic technique/protocol used for a
	measurement and calculation for the different		equipment. Support monitoring of the		given diagnostic procedure based on
	modalities in diagnostic radiology		workplace and individuals. Support		patient-specific information
K26.			exposure assessment, investigation and	69	Take responsibility for applying the optimal
	radiation protection when designing a		follow up, health surveillance, and records		size-adapted and problem-adapted
	diagnostic radiology department	S17.	Apply radiation protection measures in		individual protocol for high-dose procedures
K27.	List diagnostic procedures performed outside		diagnostic radiology (radiography,		(CT, fluoroscopy-intervention)
	radiology department with relevant radiation		fluoroscopy-intervention, CT,	C10.	Implement the concepts and tools for
	protection considerations		mammography and paediatric patients) and		radiation protection optimisation.
K28.	List expected doses (reference person) for		advise on their use.		
	frequent diagnostic radiology procedures	S18.	Stay within guidance/ reference levels in		
K29.	Explain quantitative risk and dose assessment		daily practice		
	for workers and the general public in diagnostic	S19.	Set up size-specific protocols for high-dose		
	radiology		procedures		
K30.	_	S20.	Estimate organ doses and effective doses		
	protection optimisation		for diagnostic radiology examinations,		
			based on measurable exposure parameters		
			(NAP, DLP)		

Competence	(responsibility and autonomy)	C11. Supervise QC procedures on all equipment related to patient exposure C12. Take responsibility for the establishment of formal systems of work (SOPs) C13. Take responsibility for organisational issues and implementation of responsibilities and local rules C14. Take responsibility for organising the radiological workflow in order to avoid accidental / unintended exposures and for adequate handling of such an event	C15. Take responsibility for compliance with regulatory requirements concerning occupational and public radiation exposures C16. Take responsibility for compliance with ALARA principles concerning occupational and public radiation exposure C17. Take responsibility for conforming with patient protection regulations (DRLs, where applicable)
	(respon	C11. Supervise (related to p C12. Take respo formal syst C13. Take respo and implem local rules C14. Take respo radiologica accidental, adequate h	C15. Take responded of the control occupation C16. Take responded of the control
Skills	(cognitive and practical)	S21. Apply standards of acceptable image quality. Perform retake analyses. Understand the effects of poor-quality images S22. Avoid unnecessary radiation exposure during pregnancy by screening the patient before examination (warning signs, questionnaire, pregnancy test, etc.) S23. Double check the appropriate protection measures when exposing a pregnant woman (size and positioning of the x-ray field, gonad shielding, tube-to-skin distance, correct beam filtration, minimising and recording the fluoroscopy time, excluding non-essential projections, avoiding repeat radiographs) S24. Develop an organisational policy to keep doses to the personnel ALARA	S25. Find and apply the relevant regulations and guidance for any clinical situation in radiology
Knowledge	(facts, principles, theories, practices)	K31. Define QA in radiology, QA management and responsibilities, outline a QA and radiation protection programme for diagnostic radiology K32. List the key components of image quality and their relation to patient exposure K33. Explain the principle of diagnostic reference levels (DRLs)	K34. List national and international bodies involved in radiation protection regulatory processes K35. Specify the relevant regulatory framework (ordinances, directives, regulations, etc.) governing the medical use of ionising radiation in your country and the EU K36. Specify the relevant regulatory framework governing the practice of diagnostic radiology in your country
		Quality	Laws and regulations

4.2 Interventional radiologists

Interventional radiology (IR) is a branch of radiology which utilises minimally invasive imageguided procedures to diagnose and treat diseases in nearly every organ system [1]. The concept behind IR is to diagnose and treat patients using the least invasive techniques currently available in order to minimise risk to the patient and improve health outcomes.

There are a number of other medical specialties using image-guided interventional techniques with ionising radiation. These include surgeons, e.g. orthopaedic surgeons, vascular surgeons, and medical specialists such as cardiologists, gastroenterologists, etc. [2]. These are considered in section 4.3.

The main advantages of using an image-guided minimally invasive interventional approach are the reduction of scars and pain and faster post-operative recovery. Moreover, interventional procedures are now considered the gold standard of care in many diseases of both vascular and non-vascular origin, and have replaced traditional surgical procedures in several fields. It has to be noted that in almost every case, IR procedures are justified from the point of view of radiation protection [3, 4, 5].

Knowledge of radiation protection by itself is not enough and further skills and competences are needed. Training in radiation protection should become an essential part of the IR training process. Clearly, the best IR performer will use less fluoroscopy. The dose management and radiation protection training should therefore be an integral, essential component of any training and not stand alone [6].

Recently, medical simulators have been introduced in almost every field of modern medical practice, including fluoroscopy-guided procedures [7]. The scenarios are almost identical to the real procedure, but have no limitations regarding the complications or use of ionising radiation, which mean the skills required are also the same. Moreover, many new techniques used by any trained specialist can be, and are initially, rehearsed on the simulator. Simulators include procedure logs that allow individual recording and documentation of any learning (self-assessment) process, as well as a means to examine the trainee.

4.2.1 Radiation protection professional entry requirements

IR is a specialty of diagnostic radiology and the entry level to this profession is level 7 and above³, therefore the radiation protection entry requirements should be equivalent to those of Diagnostic Radiology at level 7.

4.2.2 Continuous professional development in radiation protection

Through their careers Interventional Radiologists advance to EQF level 8 and this should be through CPD activities that enhance their KSC to level 8. Apart from enhancing their general KSC, particularly on new IR systems, special emphasis should be given to the acquisition of skills in the practical use of IR systems.

- [1] CIRSE, 2007. Clinical Practice in Interventional Radiology, Volume I, Version 0.1, Cardiovascular and Interventional Radiological Society of Europe, 2007, http://www.cirse.org/files/files/Clinical%20Practice%20Manual%20Final%20Version.pdf (Last time accessed was on the 14th of December 2012).
- [2] CIRSE, 2008. A European Interventional Radiology Syllabus, Cardiovascular and Interventional Radiological Society of Europe, Version 0.1 / 2008, http://www.cirse.org/files/cirse_syllabus_2008_web.pdf (Last time accessed was on the 14th of December 2012).

The reader is referred to section 1.6 for more information.

- [3] Donald L. Miller, et al., Occupational radiation protection in Interventional Radiology: A Joint Guideline of the Cardiovascular and Interventional Radiology Society of Europe and the Society of Interventional Radiology, Cardiovasc Intervent Radiol (2010) 33:230–239.
- [4] T. Gregory Walker, et al., Clinical Practice Guidelines for Endovascular Abdominal Aortic Aneurysm Repair, J Vasc Interv Radiol 2010; 21:1632–1655.
- [5] Dauer LT, et al., Radiation management for interventions using fluoroscopic or computed tomographic guidance during pregnancy: a joint guideline of the Society of Interventional Radiology and the Cardiovascular and Interventional Radiological Society of Europe, Radiology Safety and Health Committee; Cardiovascular and Interventional Radiology Society of Europe Standards of Practice Committee, J Vasc Interv Radiol. 2012 Jan;23(1):19-32. Epub 2011 Nov 23.
- [6] Michael S. Stecker, et. Al., Guidelines for Patient Radiation Dose Management, J Vasc Interv Radiol 2009; 20:S263–S273.
- [7] Derek A. Gould, et al., 2006. Simulation Devices in Interventional Radiology: Validation Pending, J Vasc Interv Radiol 2006; 17:215–216 http://www.sirweb.org/clinical/cpg/215.pdf (Last time accessed was on the 14th of December 2012).

Guidelines on radiation protection education and training of medical professionals in the European Union

Table 4.2.1: Additional learning outcomes for interventional radiologists

			int	
Competence	(responsibility and autonomy)		C1. Choose the best interventional equipment for your patient range based on the resources available	
Skills	(cognitive and practical)	S1. Apply radiation physics to optimise interventional protocols, using minimal exposure to reach the desired procedure outcome	S2. Use the technical features of the specific equipment, on a daily basis, applying all quality-improving and dose-reducing capabilities, while recognising the limits of the imaging machine or interventional device	
Knowledge	(facts, principles, theories, practices)	K1. Understand special requirements of image formation and image quality aspects with respect to fluoroscopy	K2. Understand and explain in detail the following features of fluoroscopes: flat-panel/image-intensifier detectors (including problems with image intensifiers such as geometric distortion, environmental magnetic field effects), continuous and pulsed acquisition (including frame rate, automatic brightness control, high-dose rate fluoroscopy, cine runs, last image hold, road mapping)	K3. Explain radiobiological dose-effect relationships relevant to IR with respect to patient safety, including discussion of the physical and biological background; response of tissues to radiation on molecular, cellular and macroscopic level; models of radiation-induced cancer, hereditary risks; and radiation effects on adults, children and conception.
		physics	fnemqinp3	γgoloidoibsЯ ⊼
		Radiation	7	laidaihad

		Knowledge		Skills	Competence
		(facts, principles, theories, practices)		(cognitive and practical)	(responsibility and autonomy)
(Х 4.	. Define ALARA and its applicability to IR settings	S3.	Optimise procedure protocols by using	C2. Advise patients on the radiation-related risks
sk	K5.			SOPs for IR and by adapting these to the	and benefits of a planned interventional
ra		optimisation as applied to IR practices		specific patient size	procedure
-X	Ж 6.	. Explain the concepts and tools for dose	δ Έ	Choose the best compromise between risk-	C3. Take responsibility for justification of radiation
۸ (management in IR of adult and paediatric		benefit ratio, image quality, procedure	exposure in every individual patient
6		patients		outcome and radiation exposure on a case-	undergoing an IR procedure, with special
olo	7.	. Explain the factors influencing image quality and		by-case basis	consideration for pregnant (or possibly
ib		dose in IR	S2.	Supervise the use of personal protective	pregnant) patients
ra	Ж Ж	. Describe the methods and tools for dose		equipment by interventional staff, support	C4. Take responsibility for optimising the
g		management in IR		the monitoring of the workplace and	technique/protocol used for a given
uc	K9.	 Explain the basic concepts of patient dose 		individuals and exposure assessment,	interventional procedure based on patient-
iti		measurement and calculation in IR		investigation and follow up, health	specific needs
Jə	K10.	 Describe the key considerations relevant to 		surveillance and records	C5. Take responsibility for applying the principles
λJ		radiation protection when designing an IR unit	Se	Apply and advise on the use of radiation	of justification (risk/benefit assessment),
эţι	X 11.	_		protection measures in IR, particularly for the	optimisation (including ALARA) and the setting
ıi (main IR procedures		eyes	up of reference levels to protect the patient
uị	K12.	2. Explain quantitatively the risk and dose	S7.	Estimate effective doses from IR procedures	from unnecessary risk from radiation
uo		assessment for workers and public in IR		based on measurable exposure parameters	C6. Take responsibility for applying the optimal
ito	K13.	3. Explain and discuss the latest evidence of low-		(KAP, skin dose)	size-adapted and problem-adapted individual
ə		dose effects on Interventional Radiologists	89	Estimate cases of high doses to the skin	protocol for high-dose procedures (TIPS etc.)
.O.			S	Calculate patient risk from measurement	C7. Take responsibility for avoiding very high
d				data from the dosimetry quantities used to	doses to the skin, which can cause
uo				assess adverse biological effects	deterministic effects
ite					C8. Follow-up patients to check for the
ib					appearance of deterministic effects
Ка					C9. Take responsibility for and establish practices
					to ensure dose limitation to staff

(responsibility and autonomy) (responsibility and autonomy) C10. Take responsibility for conforming with patient protection regulations (including procedural reference levels, where applicable)
(cognitive and practical) S10. Understand the effects of poor-quality images in IR procedures S11. Avoid unnecessary patient radiation exposure during IR procedures by optimising the techniques performed (size and positioning of the x-ray field, gonad shielding, tube-to-skin distance, correct beam filtration, minimising and recording the fluoroscopy time, excluding non-essential projections) S12. Develop an organisational policy to keep doses to IR personnel ALARA S13. Find and apply the relevant regulations for any clinical situation in IR
(facts, principles, theories, practices) K14. Define QA in IR. Explain its management and responsibilities. K15. List the key components of image quality and their relation to procedural patient exposure K16. Explain the principle of DRLs in IR procedures K17. Specify the relevant regulatory framework governing the practice of IR in your country
K14. K15. K16. K17.

4.3 Non-radiological specialists employing ionising radiation in interventional techniques

The extensive use of ionising radiation outside of radiology departments, by non-radiologists, means that these medical specialists require similar radiation protection education and training. These medical specialists include interventional cardiologists, electrophysiologists, vascular surgeons, angiologists, urologists, orthopaedic surgeons, neurosurgeons, gastroenterologists, gynaecologists and anaesthetists involved in pain management.

These specialists should receive basic radiation protection education and training during their general medical education as outlined in chapter two. To rely on this basic training to provide sufficient levels of patient and practitioner safety without further training or education is, however, not realistic. Further education of non-radiological specialists is therefore essential [1].

It is important to make a distinction between those specialists who perform procedures that have the potential to deliver high radiation doses, e.g. cardiologists, angiologists, vascular surgeons who use mobile or fixed digital subtraction angiography (DSA) units to acquire multiple DSA runs and neurosurgeons who work with C arms, and those specialists who perform low-dose procedures, e.g. gastroenterologists [2], orthopaedic surgeons, urologists who use fluoroscopy- often pulsed- with occasional static images to document a procedure.

For specialists who perform potentially high-dose procedures, learning objectives that are similar to those for interventional radiologists are required. For specialists who perform low-dose procedures, practical aspects of radiation protection should have a priority and training programmes should focus on the achievement of skills.

Radiation protection education and training for all specialties involved in the use of ionising radiation should be conducted under the auspices of the Institutional Radiation Safety Committee or Officer in accordance with regulatory requirements, local rules and procedures.

The involvement of the radiological department in radiation protection education and trainings advisable as radiologists have the necessary radiation protection knowledge and expertise, understand the legal framework, are familiar with the equipment in the local setting and receive dedicated CPD.

Practical training should be performed by a dedicated team of experts (radiologists, interventional radiologists, other relevant specialists and MPs) in conjunction with the department of radiology.

4.3.1 Radiation protection professional entry requirements

Radiation protection education and training does not form a formal requirement for the entry into these medical specialties and the radiation protection entry requirements⁴ for their professions should at least correspond to the core learning outcomes at EQF level 5 (see chapter 2).

However, before any such professional starts to perform IR techniques, they must acquire additional KSC specific to their profession. This must be at least EQF level 6.

4.3.2 Continuous professional development in radiation protection

It is comparatively rare that non-radiological specialists employing interventional techniques have the necessary radiation protection KSC upon entry to their profession and therefore must acquire these through appropriate CPD activities before starting to employ interventional techniques. The required radiation protection KSC EQF level should be level 6.

-

The reader is referred to section 1.6 for more information.

Throughout their careers they should aim to enhance their radiation protection KSC, with particular emphasis on the acquisition of practical skills in the use of IR procedures appropriate for their profession.

- [1] ICRP, 2010. Radiological Protection in Fluoroscopically Guided Procedures Performed Outside the Imaging Department. ICRP Publication 117. Ann. ICRP 40(6).
- [2] Dumonceau J-M, Garcia-Fernandez FJ, Verdun FR, Carinou E, Donadille L, Damilakis J, Mouzas I, Paraskeva K, Ruiz-Lopez N, Struelens L, Tsapaki V, Vanhavere F, Valatas V, Sans-Merce M, Radiation protection in digestive endoscopy: European Society of Digestive Endoscopy (ESGE) Guideline, Endoscopy 2012;44:408-424.

Table 4.3.1: Learning outcomes in radiation protection for non-radiological specialists employing high-dose interventional techniques

Competence (responsibility and autonomy)			
(respons			
Skills (cognitive and practical)		S1. Continuously check image quality to recognise technical defects in specific interventional procedures	S2. Inform patients of their problems and the planned procedure S3. Communicate the nature of radiation risks effectively to patients.
Knowledge (facts, principles, theories, practices)	K1. Understand the nature of X-rays as ionising radiation within the electromagnetic spectrum K2. Explain background radiation K3. Describe how X-rays for diagnostic applications are produced	 K4. Understand the basic function of X-ray systems K5. Describe the concept of the imaging 'chain', from initiating the X-ray exposure to displaying the image K6. Describe the construction, function and variety of equipment for applying specific interventional procedures (C-arm system, Portable C-arm, Hybrid or installed angiography suite equipment) 	 K7. Explain the biological effects of radiation. K8. Understand somatic and genetic effects of X-rays on tissues K9. Understand stochastic effects and radiation-induced tissue reactions
	Radiation physics	Equipment	Radiobiology

icribe incribe incribe incribe incribe increased in the part of th	(facts, principles, theories, practices)		(cognitive and practical)	
ection ection lection lection lection lection lection sent ir sent ir theretar lain the lain the part lector and lector l	the begin arise all realistics			(responsibility and autonomy)
sent is in the part of	Describe the basic philioples of radiation protection, as outlined by the ICRP Independ the need for institication including	S4.	Apply the three levels of justification in daily practice, respecting existing guidelines but also individual specificaties (e.g.	C1. Implement protection measures appropriate to the level of exposure and risk
riventi lain ti the p the p lain ti lager cedur expe	Consolitation in the model for particularly including consent in specific interventional procedures. Understand the need for optimisation and explain the AI ARA principle in specific	S5.	dazo mantada specimentos (c.g. polymorbidity) Stay within guidance/ reference levels in daily practice	
an dos the parallain the lain the nagem cedure expec	explain the ALANA principle in specific interventional procedures Explain the nature of radiation exposure and the relevant dose limits for the worker, including	S6. S7.	daily practice Estimate high skin-dose cases Apply the concepts and tools for radiation protection optimisation	
sedur expe main	organ doses; dose limits for pregnant workers, and the public, and for comforters and careers Explain the concepts and tools for dose management in specific Interventional	88	Develop an organisational policy to keep doses to the personnel ALARA	achieve optimal radiation protection within the regulations C5. Follow up patients to check for the appearance of deterministic effects
: [0,0	procedures of adult and paediatric patients List expected doses (to a reference person) for the main specific Interventional procedures			C6. Implement the concepts and tools for radiation protection optimisation
lain the	(according to specialty) Explain the concepts and tools for radiation protection optimisation			
erstar	Understand the concept of QA	68	Avoid unnecessary radiation exposure	C7. Take responsibility for the establishment of
the k r relai rventi	List the key components of image quality and their relation to patient exposure in specific interventional procedures.	5 5	during pregnancy by screening the patient before examination (warning signs, questionnaire, pregnancy test, etc.)	formal systems of work (SOPs) in specific Interventional procedures
rventi	Lypian the principle of Divisor Specific interventional procedures	<u>.</u>	measures when exposing a pregnant woman (size and positioning of the x-ray field, gonad shielding, tube-to-skin distance,	
			recording the fluoroscopy time, excluding and non-essential projections, avoiding repeat radiographs)	
cify t ernin ctice	Specify the relevant regulatory framework governing specific Interventional procedures practice in your country	S11.	Find and apply the relevant regulations for any clinical situation in specific Interventional procedures	C8. Take responsibility for conforming with patient protection regulations (including DRLs, where applicable)

Table 4.3.2: Learning outcomes in radiation protection for non-radiological specialists employing low level interventional techniques

Competence ibility and au diation protectic tanding of the r	
(responsibility and autonomy) C1. Implement radiation protection based on a sound understanding of the nature of ionising radiation	
(cognitive and practical) S1. Create a context for risk/benefit discussions S2. Select radiation protection measures which use appropriate attenuation of X-rays S3. Implement measures to avoid scatter and unnecessary absorption by patients and vascular operating room (OR) staff	S4. Communicate the nature of radiation risks to patients effectively
Knowledge (facts, principles, theories, practices) Be aware of the electromagnetic spectrum Understand the place of X-rays as ionising radiation within the electromagnetic spectrum Explain background radiation Describe how X-rays for diagnostic applications are produced Explain how X-rays interact with matter Understand the absorption and scatter of X- rays in different materials, including tissues	Explain the biological effects of radiation. Understand somatic and genetic effects of X- rays on tissue Understand stochastic effects and radiation- induced tissue reactions induced to splain radiation protection aspects with respect to staff
Interaction of X- Production of X- Nature of X- rays with matter rays $\frac{2}{2}$ $\frac{2}{3}$ $\frac{2}{3}$ $\frac{2}{3}$ $\frac{2}{3}$ $\frac{2}{3}$ $\frac{2}{3}$ $\frac{2}{3}$ $\frac{2}{3}$ $\frac{2}{3}$	Siological effects of radiation

(facts	Knowledge (facts. principles, theories, practices)	Skills (cognitive and practical)	Competence (responsibility and autonomy)
Defir	K11 Define the units of radiation dose	SS Take account of dose when establishing	("C) Implement protection measures appropriate to
	K12 Understand the concents of clinical radiation	impaging profession	the level of experience and tiple
5	פואנמות ווה כטווכקטנא טו כוווווכמו ומטומנוטו	illiagilig protocols	the level of exposure and risk
gop	dose measurement	S6. Use exposure factors to optimise dose	C3. Establish a framework for dose monitoring
K13. Des	Describe the factors which influence radiation	S7. Take account of patient age and Body Mass	C4 Compare patient doses with DRI's and take
exb	exposure and dose	Index (BMI) when establishing imaging	appropriate action when necessary
K14. Und	Understand the influence of patient age on	protocols	
radi	radiation risk		
. Unc	K15. Understand DRLs and European or national		
op	dose surveys		

4.4 Nuclear medicine specialists

Nuclear Medicine (NM) became an independent medical specialty in the European Directives in 1988. The minimum duration of postgraduate training for physicians specialising in NM within the EU is four years, but may be extended beyond this period according to training requirements for other clinical disciplines.

NM differs from other medical specialties that use ionising radiation in a number of ways, which also leads to different issues in radiation protection. As a consequence of the use of unsealed radionuclides:

- a. there are risks from external and internal exposure and contamination for all NM personnel, in particular during preparation and administration of the radioactive substances;
- b. there is very limited control of the behaviour of the radioactive substance once it has been administered to the patient;
- c. the dose absorbed by a specific organ and the effective dose are strongly dependent upon the patients' individual bio-kinetics;
- d. there are potential radiation risks to the patients' relatives (e.g. dose to an unborn in utero or to a breastfed infant) and even to the general public (e.g. external dose from residual activity in a patient or internal dose from incorporation of radioactivity excreted by a patient).

Thus candidates for specialised training should have a good general background in internal medicine as well as the natural sciences. More detailed knowledge has to be acquired on those medical conditions that may need to be investigated or treated by NM techniques, as well as on some complementary methods as far as they relate to NM procedures, education and training in subject areas beyond medicine, such as radiation protection, pharmacokinetics, radiochemistry, instrumentation, computer science and QC.

The practice of NM is known to vary from department to department within a country, and from country to country. Not all physicians specialised in NM perform all tasks or procedures. However, where a task is performed the relevant competence represents what is thought to be good practice.

Furthermore, the allocation of roles amongst healthcare professions involved in NM (NM specialist physicians, NM technologists (NMT), and MPs) varies greatly between departments and countries, with consequences for radiation protection.

While in the majority of cases the NM specialist is legally responsible for all radiation protection issues, the other professions mentioned can share those responsibilities according to the nature of their education, as well as legal constraints and specifics of the health system in the country of their practice. Thus, the radiation protection learning outcomes in this section are deemed indispensable for NM specialists, but may also be applied to the education of NM technologists and MPs (whenever not explicitly mentioned in their respective sections).

The radiation protection learning outcomes for NM Specialists consist of:

- Basic radiation protection KSC, most of which are not specific to NM and should be part of the undergraduate education and training in radiation protection, but may need to be repeated or completed during postgraduate specialisation. Those learning outcomes consist predominantly of knowledge, with a set of skills and competences as laid out in tables 2.2 and 3.1.
- 2. Radiation protection KSC (not limited to, but with an emphasis on the specialities of NM) for the areas of:

- a. patient exposure (diagnostic and therapeutic),
- b. occupational and public exposure,
- c. advanced or specialised imaging and therapeutic techniques as presented in Table 4.4.1,
- d. exposure to comforters and carers.

4.4.1 Radiation protection professional entry requirements

NM is a medical specialty and the basic radiation protection KSC should be acquired during the period of general medical education at level 5 of the EQF⁵ (see chapter 2) [1]. During specialisation their level of radiation protection KSC is expected to be enhanced to the same level as the overall profession at EQF level 7, with radiation protection forming an integral part of their specialisation [2, 3].

If required by national regulations, certification in radiation protection should be part of the certification as NM Specialist through a national board after education and training as detailed in the 'Syllabus for postgraduate specialisation in NM' [2].

4.4.2 Continuous professional development in radiation protection

During their careers NM Specialists advance to EQF level 8 through CPD activities that enhance their radiation protection KSC to level 8. Apart from enhancing their general KSC, e.g. on new diagnostic techniques or radiopharmaceuticals, emphasis should be given to the acquisition of KSC in the safe use of radiopharmaceuticals for therapeutic procedures.

If required by national regulations, re-certification in radiation protection should be conducted at, at least, EQF level 7.

References

[1] ICRP, 2009. Education and Training in Radiological Protection for Diagnostic and Interventional Procedures. ICRP Publication 113. Ann. ICRP 2009;39(5).

- [2] Prigent A, Huic D, Costa DC., Syllabus for Postgraduate Specialization in Nuclear Medicine--2011/2012 Update: nuclear medicine training in the European Union. Eur J Nucl Med Mol Imaging. 2012 Apr;39(4):739-43.
- [3] Fellowship of the European Board of Nuclear Medicine, http://uems.eanm.org/committees/fellowship examination/ebnm fellow certificate.php (Last time accessed was on the 14th of December 2012).

_

The reader is referred to section 1.6 for more information.

Table 4.4.1: Additional learning outcomes for nuclear medicine specialists

		Knowledge		Skills		Competence
		(facts, principles, theories, practices)		(cognitive and practical)	(resp	(responsibility and autonomy)
	K1.	Specify the relevant regulatory framework	S1.	Apply the principles of justification (risk /	C1. Advise pat	Advise patients on the risks and benefits of a
	_	governing the practice of NM in your country		benefit assessment) and optimisation	planned N	planned NM procedure
	ξ2	List DRLs and expected doses for common NM		(including ALARA), taking into account	C2. Take respo	Fake responsibility for the justification of every
	_	diagnostic procedures		existing guidance on indications for NM	patient's ra	patient's radiation exposure, with special
	ХЗ.	Explain the magnitude of risk as a function of		procedures	_	consideration for cases of pregnant patients
		patients' dose, age and prognosis	S5.	Decide on radiopharmaceuticals and	C3. Take respo	Take responsibility for choosing and performing
	Х 4	Explain the concepts and tools for scaling		procedures to be used, taking into account	the least d	the least dose-intense diagnostic procedure for a
	_	activity in paediatric NM (EANM paediatric		DRLs	given refer	given referrer's request, taking into account
ι	_	dosage card)	83	For each diagnostic or therapeutic	availability	availability of radiopharmaceutical compounds as
ıo	K2.	Explain the relevant regulations concerning		procedure, apply European and national	well as the	well as the possibility of using other imaging
ito		treatment on an in-patient/out-patient basis, as		laws, regulations, recommendations and	modalities,	modalities, which do not expose the patient to
əj	_	well as patient release criteria		standards related to patient safety	ionising radiation	diation
OJ	К	Explain the principle and process of QA for non-	S4.	Evaluate the radiation risk to	C4. Take respo	Take responsibility for conforming with DRLs,
dι	_	imaging devices such as activity meters (dose		embryo/foetus against the benefits of a	-	licable
10	_	calibrators) and probes		NM procedure	C5. Take respo	Take responsibility for optimising the
ite	Κ7.	Explain the principle and process of QA of NM	S2.	Determine the activity to be applied to	radiopharn	adiopharmaceutical and the activity used for a
ib	_	imaging devices, such as gamma camera,		paediatric patients, depending on body	given diag	given diagnostic procedure based on patient-
ra	_	SPECT, PET (and their combination with CT)		mass	specific information	ormation
ĵи	Ж Ж	Describe the principles and process involved in	S6.	Calculate organ dose and effective dose	C6. Take respo	Take responsibility for optimising patients'
əi:	_	intravenous, oral, and inhaled		from residence times, using tools such as	exposure f	exposure from CT in combined imaging
ec		radiopharmaceutical administrations		OLINDA/EXM	modalities,	modalities, depending on the clinical situation and
d ə	К	Describe action to be taken after	S7.	Choose the procedure to be applied for	the feature	the feature set of the imaging device
uį				treatment of benign thyroid disease, from	C7. Supervise	Supervise QC procedures on all equipment
oik	K10.	. Explain clinical consequences of administration		the data of a radioiodine test	related to p	related to patient exposure (e.g. activity meters,
рә		to a pregnant patient or a patient becoming	88	Set up a patient-specific treatment plan	probes, im	aging devices like gamma cameras,
ш.		pregnant in the weeks following a radionuclide		(together with an MPE) for a given		SPECT, PET)
JB:		_		therapeutic procedure	C8. Take respo	Take responsibility for therapeutic procedures
əjə	X 11.		86	Design appropriate safety measures for	concerning	concerning indication and adherence to
ŋ	_	-		management of in-patients administered		authorised procedures
V	K12.			with therapeutic doses of	C9. Take respo	Take responsibility for applying the optimal
		image quality versus administered activity, like		radiopharmaceuticals	activity for	activity for a given therapeutic procedure as
		choice of collimator, energy window, or	S10.		determined	determined in a patient-specific treatment plan
		tomographic reconstruction algorithm		use of low-dose C1 in combined imaging	(set up tog	(set up together with an MPE)
	_			procedure	C10. Implement SOPS tol performed regularly	C10. Implement SOPs for all diagnostic investigations performed regularly
	_					

lomv)	utic procedures sitution sment of nemporal or temporal or affeeding eutical and tients on avoid avoid therapy	ARA principles blic radiation lishment of me for external s according to ne incorporation ris leaving NM 111 in ing NM therapy istered for hyperthyroidism
Competence (responsibility and autonomy)		regulatory requirements and ALARA principles concerning occupational and public radiation exposures in own department. Take responsibility for the establishment of formal systems of work (SOPs) Implement a monitoring programme for external and internal exposure of workers according to the procedures performed and the corresponding risks Implement an organisational policy for protecting pregnant workers from incorporation risks in controlled areas. Implement instructions to patients leaving NM diagnostic units, particularly with ¹³¹ I administered for treatment of thyroid cancer and hyperthyroidism
	C12 C13. 1.1	C15. C19. C20.
Skills (cognitive and practical)	S11. Design appropriate measures for the management of accidental/unintended exposure, e.g. intravenous extravasation	S12. Develop an organisational policy for the safe handling of unsealed radionuclides (e.g. storage, shielding, record keeping, transportation, and waste) S13. Develop an organisational policy to keep doses to personnel from external and internal (inhalation, ingestion) exposure ALARA S14. Identify procedures that require special operational protection, e.g. extra shielding or remote handling or remote handling S15. Identify procedures that require special dose monitoring, e.g. finger dosimeters or incorporation monitoring S16. Identify procedures that require instructions for patients (and comforters, carers) on minimising exposure (external and internal) S17. Apply for ethical and legal approval of exposure in medical research
Knowledge (facts, principles, theories, practices)	K13. Explain the options for optimising patient dose from CT when using combined imaging modalities like PET/CT, SPECT/CT etc. K14. Explain the basic concepts of the MIRD scheme, including time-integrated activity in source region (cumulated activity) and time-integrated activity coefficient (residence time) K15. Explain how to determine which procedure should be applied for the treatment of benign thyroid disease from a radioiodine test K16. List therapeutic procedures performed less frequently or in specialised institutions and their special radiation protection aspects	K17. Describe general rules for working with unsealed radionuclides K18. Describe the key considerations relevant to radiation protection when designing a new NM facility K19. Explain the nature and sources of internal and external radiation exposure for workers in NM and the public K20. Explain quantitative risk and dose assessment for workers in NM K21. List procedures with potentially high doses for extremities and eye lenses, such as the use of high-energy beta emitters. K22. Explain quantitative risk and dose assessment (where applicable) for the public, with regard to NM procedures K23. Describe the requirements for regulatory compliance with respect to the management and use of sealed and unsealed sources; including requirements for storage, shielding, record-keeping and audit.
	protection	protection
	Nuclear medicine patient radiation	uclear Medicine occupational and public radiation

(responsibility and autonomy) C21. Take responsibility for compliance with legal and ethical requirements when exposing volunteers in medical research or patients in clinical studies C22. Implement SOPs for all specialised procedures performed regularly at one's own institution	
(cognitive and practical) S18. Develop organisational policies for the optimisation of patients' and workers' exposures in all specialised procedures C22.	
Kacts, principles, theories, practices) K23. Describe the requirements for regulatory compliance with regard to the management and disposal of radioactive waste and the transportation of radioactive substances. K24. List relevant dose limits for workers (including organ doses), for pregnant workers and general public, as well for comforters and carers. K25. Explain the ethical and legal issues regarding the exposure of volunteers in medical research, involving administration of radiopharmaceuticals cadiation protection issues associated with all specialised procedures performed at one's own institution, e.g. radio-synovectomy, targeted the response as a specialised procedures performed at one's own institution, e.g. radio-synovectomy, targeted	
ear Medicine occupational and public radiation protection	loul

4.5 Radiation oncologists

In 2010, ESTRO issued revised guidelines for education and training in radiation oncology. The new guidelines are an updated version of the guidelines that were first published in 1991 and then updated in 2002 and 2010 [1, 2].

Contemporary medical education and training is based on competence. With that in mind, ESTRO decided to revise the core curriculum based on the principles of competence-based training. These competences are defined by the Canadian CanMEDS system [3] and include the following:

- 1. Medical expertise
- 2. Communication
- 3. Collaboration
- 4. Knowledge and science
- 5. Health advocacy/Social actions
- 6. Management/Organisation
- 7. Professionalism.

Knowledge and science, item 4 above, includes comprehension of basic radiation physics, radiation physics applied to radiation therapy, radiation biology and radiation protection as follows:

- Radiobiology
- Basic radiation physics
- Radiation physics applied to radiation therapy
- Concepts and principles of radiation protection

Based on these competences, as well as clinical insight and other scientific insight and knowledge, a set of learning outcomes have been summarised in Table 4.5.1.

These guidelines have been endorsed by European National Radiation Oncology societies and the European Union of Medical Specialists (UEMS) [4].

4.5.1 Radiation protection professional entry requirements

The professional entry requirements for Radiation Oncologists should be equivalent to EQF level 7⁶. Radiation protection is a major subject for Radiation Oncologists and should be at the same level as their professional EQF entry level requirements.

4.5.2 Continuous professional development in radiation protection

Through their careers Radiation Oncologists advance to level 8 of the EQF and this should be through CPD activities that enhance their KSC to level 8. Special emphasis should be placed on new therapeutic systems, techniques and procedures, and the acquisition of skills in the practical use of particularly new procedures. This should help advance their justification competence in therapeutic procedures.

_

The reader is referred to section 1.6 for more information.

- [1] Eriksen JG, et al., The updated ESTRO core curricula 2011 for clinicians, medical physicists and RTTs in radiotherapy/radiation oncology, Radiotherapy and Oncology 2012 Apr;103(1):103-8,

 http://www.estro-education.org/courses/Documents/The%20updated%20ESTRO%20core%20curricula%202011%20for%20clinicians,%20medical%20physicists%20and%20RTTs.pdf (Last time accessed was on the 14th of December 2012).
- [2] ESTRO, 2010. Recommended ESTRO Core Curriculum for Radiation Oncologists/Radiotherapists. 3rd Edition, Edited April 2010, http://www.estro-education.org/europeantraining/Documents/CC FINALapproved ESTRO_CCApril2010.pdf (Last time accessed was on the 14th of December 2012).
- [3] CanMEDS, 2005. The CanMEDS 2005 Physician Competency Framework Better standards. Better physicians. Better care. (Frank JR, Ed.). Ottawa: the Royal College of Physicians and Surgeons of Canada http://www.royalcollege.ca/portal/page/portal/rc/canmeds/framework (Last time accessed was on the 14th of December 2012).
- [4] EUMS, 2002. Radiotherapy, Chapter 6, Charter on Training of Medical Specialists in the EU, Requirements for the Specialty Radiotherapy. Draft of the UEMS Specialist Section Radiotherapy, updated September 2002.

 http://www.estro-education.org/europeantraining/Documents/Chapter%206%20UEMS

 %20Charter-upd.pdf (Last time accessed was on the 14th of December 2012).

Guidelines on radiation protection education and training of medical professionals in the European Union

Table 4.5.1: Additional learning outcomes in radiation protection for radiation oncologists

	Knowledge	Skills	Competence
(facts,	(facts, principles, theories, practices)	(cognitive and practical)	(responsibility and autonomy)
K1. Describe the in molecular level K2. Explain DNA da K3. Describe the codeath K4. Describe the re K5. Explain the cell K6. Describe the not K7. Describe solid K7. Describe solid protectors K9. Explain the effer protectors K10. Describe and rack	K1. Describe the interaction of radiation on the molecular level K2. Explain DNA damage K3. Describe the cellular effects, mechanisms of cell death K4. Describe the repair of radiation damage K5. Explain the cell survival curves K6. Describe the normal tissue systems K7. Describe the normal tissue systems K7. Describe solid tumour and leukaemia systems K8. Explain the effects of oxygen, sensitizers and protectors K9. Explain the effect of time-dose fractionation, Linear energy transfer (LET), different radiation modalities and the interaction between cytotoxic therapy and radiation K10. Describe predictive assays	S1. Communicate knowledge of clinical and radiological anatomy, physics and biology to diagnosis and therapy	
71. Describ 73. Describ	K11. Describe atomic and nuclear structure K12. Describe radioisotopes K13. Describe radioisotopes	S2. Analyse the properties of particle and electromagnetic radiation	

	Knowledge		Skills		Competence
	(facts principles theories practices)		(legitore practical)		(responsibility and autonomy)
	(racts, principles, meories, practices)		(cognitive and practical)		(responsibility and autonomy)
	K14. Explain the mechanism of operation of an X-ray	S3. Apply tre	Apply treatment planning including, 3D	<u>ე</u>	Consult patients on radiotherapy and ensure
	tube	planning	planning and virtual and CT simulation. Apply		follow up of treatment response
	K15. Explain the mechanism of operation of a linear		these procedures to plan patients' treatments	C5	Recommend appropriate dose and
	accelerator	S4. Evaluate	Evaluate the benefits of conformal and special		fractionation schedule for curative and
	K16. Describe collimating systems	radiothe	adiotherapy techniques (IORT, stereotactic		palliative external beam radiotherapy and
λd	K17. Describe brachytherapy systems	radiotherapy)	rapy)		brachytherapy
ra	K18. Explain the mechanism of action of a cyclotron	S5. Address	Address algorithms for 2D dose calculations	33	Audit an external beam
әų	K19. Explain absorbed dose		Examine treatment options in the light of the		radiotherapy/brachytherapy treatment plan in
ļι	K20. Define target absorbed dose specification in	prognosis	is		collaboration with physicists and
IO	external RT	S7. Develop	Develop an evidence-based treatment		radiographers and be aware of the
ati	K21. Define target absorbed dose specification in	strategy	strategy and assess patients for curative and		consequences of one's actions and those of
ibı	brachytherapy	palliative	palliative external beam radiotherapy and		others
sı	K22. Illustrate algorithms for 3D dose calculations	brachytherapy	nerapy	Q	Assess the risk of an external beam radiation
Oĵ	K23. Explain applications of conformal RT, IMRT,	S8. Analyse	Analyse and synthesise research evidence to		therapy and brachytherapy treatment plan
рŧ	IGRT, stereotactic RT and particle therapy	change	change practice	S 5	Engage in planning using IMRT and other
∍ile		S9. Develop	Develop a radiotherapy treatment strategy		techniques such as stereotactic, particle and
dd		and technique	nnique		IGRT
ខទ		S10. Adapt tr	Adapt treatment plans according to patient's	9	Authorise a radiotherapy treatment
so		individus	individual needs, pre-morbid conditions,	C7.	Assess patients for combined modality
s/		toxicity of	toxicity of radiotherapy and systemic		therapy
ίųα		treatments	nts	89	Take clinical responsibility for the delivery of
d u		S11. Assess	S11. Assess and manage patients undergoing		radiation therapy together with systemic
10		external	external beam radiotherapy and		agents (and where necessary to work in
at		brachytherapy	легару		collaboration with other medical specialists
ib		S12. Adapt co	Adapt course of radiotherapy treatment for		involved in systemic therapies) on an in-
ВЯ		individus	individual patients according to severity of		patient or out-patient basis
		reaction	reactions, including adjustment for gaps in	69	Take responsibility for the clinical implications
		treatment	nt		of IGRT
				C10.	. Take responsibility for the clinical implications
					and procedures of brachytherapy using
					sealed and unsealed sources

S13. Analyse stochastic effects and tissue reactions S14. Investigate accidental/unintended exposures ss	;	Knowledge	Skills	Competence
S13. Analyse stochastic effects and tissue reactions S14. Investigate accidental/unintended exposures ss	(facts, p	(facts, principles, theories, practices)	(cognitive and practical)	(responsibility and autonomy)
S	24. Explain t	K24. Explain the general philosophy of radiation protection including ALARA	S13. Analyse stochastic effects and tissue reactions	C11. Engage in QA and follow safety policies C12. Manage accidental/unintended exposures
K26. Describe radiation weighting factor K27. Explain equivalent dose – tissue weighting factor K28. Explain occupational/public health consequences of radiation exposure, radiation protection and dose limits for occupational and public exposure K29. Explain the management of accidental/unintended exposures K30. Describe the European and national legislation K31. Describe evidence based in radiation protection	25. Explain t tumours	the risk of induction of secondary	S14. Investigate accidental/unintended exposures	
K27. Explain equivalent dose – tissue weighting factor K28. Explain occupational/public health consequences of radiation exposure, radiation protection and dose limits for occupational and public exposure K29. Explain the management of accidental/unintended exposures BX30. Describe the European and national legislation K31. Describe evidence based in radiation protection	26. Describe	e radiation weighting factor		
occupations from the consequences in a consequence and interpretation and public exposure the management of al/unintended exposures at the European and national legislation evidence based in radiation protection	27. Explain	equivalent dose – tissue weighting factor		
its for occupational and public exposure the management of all management of all legislation al/unintended exposures the European and national legislation e evidence based in radiation protection	of radiat	occupational public hearing consequences iton exposure, radiation protection and		
the management of all management of all numbers all numbers at the European and national legislation and protection	dose lim	its for occupational and public exposure		
al/unintended exposures the European and national legislation evidence based in radiation protection	29. Explain t	he management of		
the European and national legislation evidence based in radiation protection	accident	al/unintended exposures		
evidence based in radiation protection	30. Describe	the European and national legislation		
	31. Describe	evidence based in radiation protection		

5 LEARNING OUTCOMES FOR DENTISTS/DENTAL SURGEONS

In 2005, the European Parliament and the Council adopted the Directive 2005/36/EC on the recognition of professional qualifications [1]. In that document the following has been stated on the profession of dentistry: "All MS must recognise the profession of dental practitioner as a specific profession distinct from that of medical practitioner, whether or not specialised in odonto-stomatology. The MS must ensure that the training given to dental practitioners equips them with the skills needed for prevention, diagnosis and treatment relating to anomalies and illnesses of the teeth, mouth, jaws and associated tissues".

In the context of radiation protection, dentistry is unique in that it is largely primary carebased and the roles of referrer and practitioner are usually combined. In addition, dentists often work in relative isolation from colleagues and without readily available support from a dental peer group or radiation protection support professionals. Notwithstanding this, practice in this area is governed by the Euratom BSS [2]. Guidance for dental professionals on radiation protection at a European level is available from the EC radiation protection publications 136 and 172 [3, 4, 5].

The Association for Dental Education in its document 'Profile and Competences for the European Dentist' published in 2004 stated that a graduating dentist should have knowledge of the hazards of ionising radiation and its effects on biological tissues, together with the regulations relating to its use, including radiation, protection and dose reduction and should be competent in managing ionising radiation [6].

In addition, the radiation protection situation in dentistry involves specialist dental and maxillofacial radiologists and a number of ancillary groups/dental care professionals who play roles in radiography. With regard to the dental and maxillofacial radiologists, the most logical way to treat this group is the same as diagnostic radiologists (section 4.1). Other groups of medical and dental care professionals (e.g. radiographers, dental nurses, hygienists, therapists, etc.) play varied and important roles and need to be treated separately, particularly in the context of variability of practice and role classification within Europe. The KSC learning outcomes in Table 5.1 are those applicable to dental surgeons. Learning outcomes for ancillary groups/dental care professionals should be selected from these, taking into account their specific roles in imaging.

5.1 Radiation protection professional entry requirements

In general the entry level to the profession of dentist/dental surgeon is EQF level 6⁷ and since the use of ionising radiation is an indispensable diagnostic tool and the dentist/dental surgeon is almost always both acting as a referrer and a practitioner, the required radiation protection KSC level upon entry to the overall profession should be the same as for entry to the profession at EQF level 6.

Specialist dental and maxillofacial radiologists are radiologists and therefore their radiation protection KSC should be at the same level as their entry into their profession at level EQF 7.

Other supporting medical and dental care professionals play varied roles and the radiation protection KSC entry into their profession should be at the appropriate level specific to their professional roles as specified elsewhere in these guidelines and they should have at least the core radiation protection learning outcomes (see chapter two).

The reader is referred to section 1.6 for more information.

5.2 Continuous professional development in radiation protection

Dentists/Dental surgeons must maintain and advance their radiation protection KSC through appropriate radiation protection CPD activities essential to maintain good practice [3, 4, 5].

Other professionals working in dentistry should maintain and advance their radiation protection KSC at the appropriate level of their professional roles within dentistry.

- [1] Directive 2005/36/EC of the European Parliament and of the Council of 7 September 2005 on the recognition of professional qualifications. Official Journal of the European Union, L255/22 (30.9.2005).
- [2] Council of the European Union. (2013). Council Directive 2013/59/Euratom laying down basic safety standards for protection against the dangers arising from exposure to ionising radiation, and repealing Directives 89/618/Euratom, 90/641/Euratom, 96/29/Euratom, 97/43/Euratom and 2003/122/Euratom. Official Journal L-13 of 17.01.2014.
- [3] The Dent*CPD* Team (Cowpe J, Bullock A, et al) (2011) Harmonisation and Standardisation of European Dental Schools' Programmes of Continuing Professional Development for Graduate Dentists DentCPD. *Journal of the European Higher Education Area*A3.3-7 pg1-26.
- [4] EC, 2004. Radiation Protection 136. European guidelines on radiation protection in dental radiology. The safe use of radiographs in dental practice. Luxembourg: Office for Official Publications of the European Communities, 2004. http://ec.europa.eu/energy/nuclear/radioprotection/publication/doc/136 en.pdf (Last time accessed was on the 14th of December 2012).
- [5] EC, 2012. Radiation Protection 172 Cone Beam CT For Dental and Maxillofacial Radiology, Evidence Based Guidelines. Directorate-General for Energy, Directorate D -Nuclear Energy, Unit D4 - Radiation Protection, 2012 . http://ec.europa.eu/energy/nuclear/radiation_protection/doc/publication/172.pdf (Last time accessed was on the 14th of December 2012).
- [6] Association for Dental Education in Europe and the DentEd III Thematic Network, 2004, Profile and Competences for the European Dentist , http://dental.medic.upjs.sk/Profile_and_Competences_for_the_European_Dentist_english.pdf (Last time accessed was on the 14th of December 2012).

Learning outcomes in radiation protection for dentist/dental surgeons **Table 5.1**:

	Đ.			
Competence (responsibility and autonomy)	C1. Implement radiation protection based on a sound understanding of the nature of ionising radiation			
Skills (cognitive and practical)	S1. Create a context for risk/benefit discussions		S2. Select radiation protection measures which use appropriate attenuation of X-rays S3. Implement measures to avoid scatter and unnecessary absorption by patients, staff and the public	S4. Explain and communicate effectively the nature and magnitude of radiation risk and benefits, in order to obtain informed consent
Knowledge (facts, principles, theories, practices)	 K1. Be aware of the electromagnetic spectrum K2. Understand the place of X-rays as ionising radiation within the electromagnetic spectrum K3. Explain background radiation 	K4. Describe how X-rays for diagnostic applications are produced	K5. Explain how X-rays interact with matter K6. Understand absorption and scatter of X-rays in different materials, including tissues	 K7. Explain the biological effects of radiation K8. Understand somatic and genetic effects of X-rays on tissues K9. Understand stochastic effects and radiation-induced tissue reactions
	radiation	Х-гау <i>ѕ</i>	rays with matter	noitaibar to
	-X fo eruse N	Production of	Interaction of X-	Biological effects

eles, practices) Skills Skills (cognitive and practical) (responsibility and autonomy)	inaging protocols Soft Clinical radiation Soft Clinica	sof radiation protection. Sa. Perform the justification process, taking into account the risks and benefits account the risks and tools for radiation account the risks account the risks and tools for radiation account the risks and tools for radiation.
Knowledge (facts, principles, theories, practices)	K10. Define the units of radiation dose K11. Understand the concepts of clinical radiation dose measurement K12. Describe the factors which influence radiation exposure and dose K13. Understand the influence of patient age on radiation risk K14. Understand DRLs and European or national dose surveys K15. Understand the level of radiation-related risk associated with dental imaging of patients, operators and the public	K16. Understand the principles of radiation protection. K17. Understand the need for justification, including consent K18. Describe referral guidelines for dental imaging K19. Understand the role of other forms of clinical examination and diagnosis, which do not involve ionising radiation K20. Understand when to refer to specialists in dental and maxillofacial, or medical, radiologists K21. Explain the ALARA principle K22. Understand the relationship between radiation dose and image quality K23. Describe the practical steps available in dental imaging to optimise patient dose K24. Describe practical dose reduction strategies for dental staff and the public, including the use of shielding and dose monitoring K25. Describe a QA programme for dental imaging K26. Understand the clinical audit cycle as applied to dental imaging
	Radiation dose and risk	Radiation protection

(facts, principles, theories, practices) (Cognitive and practical) (Cognitive and practical) (Cognitive and practical) (Cognitive and practical) (Controy) with relevant regulations and ocal regulations relating to use of X-rays in independent and practical imaging chain, from spropriate scources with regulations and compliance dental imaging chain, from spropriate techniques and equipment through the responsibilities and roles of different professionals relating to use of X-rays in an analogue/digital and extraoral imaging stratement between the concept of the imaging chain, from spropriate techniques and equipment and professionals relating to use of X-rays in an analogue/digital and extraoral imaging stratement between between the concept of the imaging chain, from spropriate techniques and equipment and professionals relating to use of X-rays in react and manifestion and function of professional strategies and manifestion and function of equipment and reaction and function of dental imaging examination of dental imaging examination of dental imaging examinations. (32) Describe the concept of the imaging chain, from spropriate techniques and equipment and professional strategies and roles of dental imaging chain, from strategies and roles of dental imaging examination of dental imaging examination of dental imaging examination of dental imaging examinations and to femical film imaging examinations and considerations and professional and professional and professional and professional and professional and extraoral imaging examinations and digital tops acquisition professional and professional and professional and professional and extraoral imaging examinations and digital tops acquisition professional and professional an	se autonomy) ofessionals to	rotection within the	olicy for equipment liation protection preventative or dental imaging n equipment amme for staff, on considerations	ut optimal patient I imaging
Kab. Describe the concept of the imaging dental imaging analogue/digital, and extraoral/intraoral and function and function and explain the relevant, international, to dental imaging to dental imaging to dental imaging and local regulations relating \$21. K30. Describe the concept of the imaging 'chain', from initiating X-ray exposure to displaying the image dental imaging analogue/digital, and extraoral/intraoral imaging. K31. Explain the difference between 2D/3D imaging, analogue/digital, and extraoral/intraoral imaging detectors to produce an image detectors and maxillofacial imaging (intraoral and extraoral) K32. Describe the different examination techniques in dental and maxillofacial imaging (intraoral and extraoral) K35. Understand the influences of chemical film processing and digital post-acquisition processing on the filmal image K36. Understand the principles of diagnostic imaging examinations K37. Understand the principles of diagnostic imaging examinations K38. Describe the radiological appearances of pathoses affecting the teeth and jaws K39. Describe the radiological appearances of pathoses affecting the teeth and jaws K40. Explain principles of projection and its influence on image interpretation	Competence (responsibility and a Consult with appropriate p	achieve optimal radiation programs programs regulations	C14. Establish a procurement por which takes account of rad principles C15. Establish and implement a maintenance programme frequipment C16. Establish and implement a applications training prograbased on radiation protecti	C17. Implement practices that p care at the centre of denta
Kaber (facts, principles, theories, practices) Kaber and explain the relevant, international, European, national and local regulations relating to dental imaging Kaber and explain the relevant, international, to dental imaging and local relating to use of X-rays in different professionals relating to use of X-rays in different professionals relating to use of X-rays in initiating X-ray exposure to displaying the imaging analogue/digital, and extraoral/intraoral imaging. Kaber and maxillofacial imaging was detectors to produce an image was Describe the different examination and function of equipment for dental imaging (intraoral and extraoral) Kaber and maxillofacial imaging (intraoral and extraoral) Kaber and digital post-acquisition processing on the final image acaminations Kaber and dental and dental X-ray imaging examinations Kaber and dental and dental X-ray imaging examinations Kaber and dental and dental X-ray imaging examinations Kaber and the principles of diagnostic imaging structures in radiographs Kaber and an adiological appearances of pathoses affecting the teeth and jaws Kaber and principles of projection and its influence on image interpretation	Compl	S21. Seek advice from appropriate sources with regard to regulations and compliance		
eanest ingal-compani	Knowledge (facts, principles, theories, practices) (28. Name and explain the relevant: international.		Describe the concept of the imaging 'chain', from initiating X-ray exposure to displaying the image Explain the difference between 2D/3D imaging, analogue/digital, and extraoral/intraoral imaging. Describe how X-rays interact with image detectors to produce an image. Describe the different examination techniques in dental and maxillofacial imaging. Describe the construction and function of equipment for dental imaging (intraoral and extraoral). Understand the influences of chemical film processing and digital post-acquisition processing on the final image.	
Interpretation Equipment and techniques Regulations and	Y	medico-legal issues	Equipment and techniques	Interpretation

6 LEARNING OUTCOMES FOR RADIOGRAPHERS

In a modern health service the roles and tasks performed by radiographers are many and varied. In order to address this, and to avoid confusion created by different professional and national titles, a definition of a radiographer was developed and approved by the EFRS General Assembly in 2010 [1].

Within the scope of this document the term 'Radiographer' will be used to refer to professional roles in the fields of diagnostic imaging, NM, IR and radiation therapy.

Radiographers [1]:

- are the healthcare professionals responsible for performing safe and accurate procedures, using a wide range of sophisticated technology within medical imaging, radiotherapy, NM, and IR:
- are professionally accountable for the patients' physical and psychosocial well-being, prior to, during and following diagnostic and radiotherapy procedures;
- take an active role in justification and optimisation of medical imaging and radiotherapeutic procedures;
- are key persons in the radiation safety of patients and other persons in accordance with the ALARA principle and relevant legislation.

In NM, the title NM Technologists (NMT) is recognised by EANM and the IAEA. NMTs perform highly specialised work alongside other healthcare professionals to fulfil responsible roles in patient care and management and radiation protection in diagnostic and therapeutic procedures. They have non-imaging roles within the radiopharmacy and laboratory, and are also involved with PET/CT-aided radiation therapy planning [2].

In Radiation Oncology practices, other than Therapeutic NM practices, the title Radiation TherapisTs (RTTs) is recognised in the core curriculum published by ESTRO [3] and the IAEA. RTTs are the professionals with direct responsibility for the daily administration of radiotherapy to cancer patients. This encompasses the safe and accurate delivery of the radiation dose prescribed, the clinical and the supportive care of the patient on a daily basis throughout the treatment preparation, treatment and immediate post-treatment phases [4].

It is essential whilst carrying out clinical practice in diagnostic and therapy procedures, that radiographers use current knowledge in order to secure, maintain or improve the health and well-being of the patient [5].

While performing their role, radiographers also have a responsibility for radiation protection, patient care and QA during medical imaging or radio-therapeutic procedures.

Radiographers act as the interface between patient and technology in medical imaging and radiation therapy. They are the gatekeepers of patient and staff radiological protection, having a key role in optimisation at the time of exposure to radiation [6].

Radiographers work in a diverse range of areas and each area demands its own specific KSC. These areas include: radionuclide production, which involves cyclotrons and generators; radio-labelling of compounds and living structures (e.g. cells); diagnostic imaging (e.g. X-ray, PET, and NM); radiotherapy (teletherapy, brachytherapy and unsealed source radionuclide therapy); and imaging arising from therapy procedures (e.g. IMRT).

The radiation protection learning outcomes for radiographers provides a set of core learning outcomes together with specific sets of learning outcomes pertinent to diagnostic radiography, NM and radiation therapy [2, 3, 7, 10].

6.1 Radiation protection professional entry requirements

According to the Tuning Template for Radiography, developed under the EU project HENRE (Higher Education Network for Radiography in Europe) [7], the professional entry requirements for radiographers should be equivalent to EQF level 6 [8]. Radiation protection is a major subject for radiographers and should be at the same level as their professional entry-level requirements in the EQF.

6.2 Continuous professional development in radiation protection

Through their careers radiographers advance to EQF level 7 and in some cases even higher, especially for sophisticated diagnostic and therapeutic radiological procedures and this should be through CPD activities that enhance their KSC to higher levels [9]. Special emphasis should be given to new diagnostic and therapeutic systems and the acquisition of skills in the practical use of such systems.

- [1] EFRS, 2011. Definition of a Radiographer and recommendations for the use of the professional name in Europe. EFRS, Utrecht, The Netherlands.

 http://www.efrs.eu/the-profession/ (Last time accessed was on the 24th of March 2013).
- [2] Waterstram-Rich K, Hogg P, Testanera G, Medvedec H, Dennan SE, Knapp W, Thomas N, Hunt K, Pickett M, Scott A, Dillehay G (2011). Euro-American Discussion Document on Entry-Level and Advanced Practice in Nuclear Medicine, J. Nucl. Med. Technol., 39: 240-248. http://tech.snmjournals.org/content/39/3/240.full.pdf+html (Last time accessed was on the 24th of March 2013).
- [3] ESTRO, 2011. Recommended ESTRO Core Curriculum for RTTs (Radiation TherapisTs). 3rd edition. ESTRO, Brussels, Belgium.

 http://estro-education.org/courses/Documents/Recommended Core Curriculum%20 RadiationTherapisTs%20-%203rd%20edition%202011.pdf (last time accessed 24th of March 2013.
- [4] IAEA, 2002. Safety Standards Series No. RS-G-1.5, Radiological Protection for Medical Exposure to Ionizing Radiation, IAEA, Vienna, 2002, http://www-pub.iaea.org/MTCD/Publications/PDF/Pub1117_scr.pdf (Last time accessed was on the 24th of March 2013).
- [5] Royal College of Radiologist and the Society and College of Radiographers (2012) Team working in clinical imaging.
- [6] HPC, 2009. Standards of Proficiency: Radiographers. Health Professions Council, London, UK http://www.hpc-uk.org/assets/documents/10000DBDStandards of Proficiency Radiographers.pdf (Last time accessed was on the 24th of March 2013).

- [7] HENRE, 2008. Overview of the Tuning Template for Radiography in Europe. HENRE. http://www.unideusto.org/tuningeu/images/stories/template/Radiography_overview.pdf (Last time accessed was on the 24th of December 2012).
- [8] EC, 2008. European Commission: Explaining the European Qualifications Framework for Lifelong Learning. Office for Official Publications of the European Communities, Luxembourg

 http://ec.europa.eu/education/lifelong-learning-policy/doc44_en.htm (Last time accessed was on the 24th of March 2013).
- [9] European Parliament and Council (2008) Recommendation 2008/C 111/01 on the establishment of the European Qualifications Framework for Lifelong Learning. Official Journal of the European Union 6.5.2008, http://eur-Lex.europa.eu/LexUriServ/LexUriServ.do?uri=oj:c:2008:111:0001:0007:en:pdf (Last time accessed was on the 124^h of March 2013).
- [10] ICRP, 2010. Draft report for consultation 4811-3039-3350: Radiological protection education and training for healthcare staff and students.

Core learning outcomes in radiation protection for radiographers **Table 6.1:**

	(,	afely	ical and) of	of the	ı ==		nimise	isation	eatment	,	en using	.	and		and	(h)		onising	rinciple	est or	opinion,		۸N	se and			nse of		ts and		ınal			
a	(responsibility and autonomy)	Practise effectively, accurately and safely	and within the guidance of legal, ethical and professional frameworks	Use the appropriate and correct form of	dentification, address and treatment of the	patient (and any accompanying carer if		Avoid unnecessary exposure and minimise	necessary exposure as part of optimisation	Seek consent for any examination/treatment		Carry out work in a safe manner when using	ionising radiation, taking into account	current safety standards, guidelines and		Participate in the process of creating and	guaranteeing maximum safety for the	during	examinations /treatments involving ionising	radiation and maintain the ALARA principle	Refuse to accept or carry out a request or	referral which, in one's professional opinion,	Ф	Recognise the limitations to one's own	scope of competence and seek advice and	•	When taking decisions about care for	(individual) patients be able to make use of	national	(scientific) insights, theories, concepts and	research results and integrate these	approaches into one's own professional	actice)		
Competence	ty and a	ely, accur	uidance of neworks	ate and c	dress and	accompa		ary expos	ure as pa	any exar		า a safe rr	ı, taking ir	andards, (process	ximum sa	patient, oneself and others during	eatments	intain the	t or carry	one's pro	is dangerous or inadvisable	nitations	ence and	ingly	isions ab	nts be ab	relevant national and international	ts, theorie	and integ	one's ow	actions (evidence-based practice)		
Cor	onsibili	e effective	and within the guidance or orofessional frameworks	appropr	sation, ad	(and any	riate)	ınnecess	ary expos	onsent fo	eed	ut work ir	y radiatior	safety sta	ons	ate in the	teeing ma	oneself a	ations /tre	n and ma	to accep	which, in	erous or	ise the lii	of compet	guidance accordingly	aking dec	ual) patie	t national	fic) insigh	th results	ches into	oliabiva)		
	(resp		and wit		identific	patient							ionising	current			guaran	patient	examin			referral	is dang		scobe			(individ	relevan	(scienti	researd	approa	actions		
		2		C5				<u>ස</u>		2.	(C2				09					C7.			89			ල								
Skills	(cognitive and practical)		effective, safe and efficient manner Use effective, safe and efficient radiation		patients and the general public applying	current safety standards, legislation,			procedure and verify it in the light of	appropriateness guidelines and when in	_				 Critically reflect on and evaluate one's own 		. Participate in CPD	. Recognise the complicated situation	pertaining to radiation protection regarding	scientific knowledge on the one side and	societal concern and personal emotions on		. Identify different image quality standards for	different techniques		protection optimisation									
		S1.	S2.)				S3.			(S4.	S5.		S6.		S7.	S8.					S9.		S10.										
Knowledge	(facts, principles, theories, practices)		generation, interaction, modification and protection		_	_	Δ.		radiation protection legislation and regulations	relating to staff, patients, carers and the wider		_	imaging techniques, including magnetic	resonance imaging and ultrasound along with	associated safety considerations	Describe professional roles and responsibilities	in terms of aspects of justification and	optimisation	Explain QA and QC practices to include:	legislation, regulations and guidelines, test	equipment and methodologies, programme	design and implementation and reporting to	ensure the provision of an effective, safe and	efficient service		safety that may be encountered such as safe			evidence-based practice to include: the stages	in the research process, research governance,	ethics, statistics and statistical analysis to	facilitate a deeper understanding of research	Infamilys and common addit	risk perception: know the pit-falls of	communication on radiation risks
		Α		ξ.		Σ	:	<u>자</u>				, 5				, K6			Κ 7						X			— 6					K15	2	
								uo	ij	əj	O1	d	uo	ite	sib	rac	ı u	i s	əι	uo	O)	no	6	uļi	มมะ	?ə-	j ə	10	2						

		Knowledge	Skills	Competence
		(facts, principles, theories, practices)	(cognitive and practical)	(responsibility and autonomy)
	X15	K15. Understand the particular protection aspects of		C10. Recognise the radiation hazards associated
		pregnant women (includes pregnant		with one's work and take measures to
uo		radiographer/employee), carers and children		minimise them
ijC		and knows how to take care of these persons		C11. Monitor radiation exposure with the use of a
ə	K16.			personal dosimeter
roi		foetus involved in radiotherapy, NM, and		C12. Establish safe working conditions according
d		diagnostic and IR		to the recommendations and the statutory
uo	K17.	7. Explain dose, quantities and units and their		requirements of European, national, regional
ite		relevance to own professional practice		legislation, where applicable
sib	K18.	3. Explain the management of		C13. Instruct other personnel participating in
ra		accidental/unintended exposures		matters relating to appropriate radiation
u	K19.	 Explain the concepts and tools for radiation 		protection practices
S		protection optimisation		C14. Carry out short-term and practice-oriented
əu				research or clinical audit, either
10:				independently or in collaboration with
ıţc				colleagues, to improve the quality of care
10				C15. Participate in clinical audit and applied
61				research for the further development of
uir				professional practice and its scientific
IJĘ				foundation
:ə-				C16. Place radiation risks in relation to other risks
Į Ə				within a societal context
10				C17. Reflect on one's own radiation risk
၁				perception
				C18. Evaluate the results of routine QA tests

Table 6.1.1: Additional learning outcomes in radiation protection for radiology radiographers

	Knowledge		Skills		Competence
	(facts, principles, theories, practices)		(cognitive and practical)		(responsibility and autonomy)
	K1. Explain the relationship of exposure factors to	S1.	Perform the medical procedure with the	C1.	. Take responsibility for use of proper
	patient exposure		appropriate X-ray equipment suited and		exposition parameters according to type of
	K2. Understand how patient position affects image		optimised for the specific medical procedure		modality and to radiological procedure
	quality and dose to radiosensitive organs		(adult, paediatric, projection possibilities,	C5	. Identify the appropriate image receptor that
	K3. Understand the effect of filter type in diagnostic		adjustments for longer procedure time, etc.)		will result in an optimum diagnostic image
	X-ray systems	S2.	Operate according to Good Medical Practice		with the minimum radiation exposure to the
	K4. Understand the purpose and importance of		in order to minimise overall fluoroscopy time		patient
	patient shielding	S3.	Put into practice the basic principles of	S.	. Identify proper C-arm position regarding
	K5. Understand post-processing possibilities for CR		preventing (unnecessary) exposure (time,		occupational doses
	and DR systems (filters, noise, magnification,		distance, shielding)	2	. Discuss added and inherent filtration in
	raw data manipulation)	S4.	Programme the use of beam filters in		terms of the effect on patient exposure
\sim	Know recommendations and legal		mammography and conventional	C5.	
	requirements applying to medical, occupational,		radiography (proper use of additional		KAP, ESD, CTDI, glandular dose) readings
	and public exposure		filtration)		or equivalent to National or European DRLs
		S2 [.]	Use and record the integrated dose meter	09	. Participate in the optimisation of all
			(DAP) and checks the measured values		parameters to create protocols regarding to
			against DRLs and/or threshold doses for		National or European DRL.
			deterministic effects in order to prevent	C7.	 Optimise radiological procedure to fit
			deleterious effects on patients whenever		pregnant women and use appropriate
			possible		paediatric protocols
		S6.	Identify various types of patient shielding and	89	
			state the advantages and disadvantages of		processing tools and change exposure
			each type		parameters to obtain lower dose for clinical
		S7.	Use the appropriate method of shielding for a		diagnostic images
			given radiographic procedure	69	. Advise on the proper use of personal
		S8.	Identify difference between continuous and		protection.
			pulsed fluoroscopy and use each mode	ပ်	C10. Optimise the use of radiology equipment
			when appropriate		according to ALARA principles
		S	Explain and communicate effectively the		
			nature and magnitude of radiation risk and		
			benefits, in order to obtain informed consent		

Table 6.1.2: Additional learning outcomes in radiation protection for nuclear medicine technologists

		Knowledge	Chille		Compatance
		(facts, principles, theories, practices)	(cognitive and practical)		(responsibility and autonomy)
	. K1.	Explain the physical principles of how	S1. Acquire and process images and data that	1	Take responsibility for conforming to
	_	radionuclides can be generated	have clinical relevance within NM, observing		national regulations for all handling of
	ξ.	Explain how radionuclides can be physically	the principles of exposure optimisation and		unsealed radioactive substances
		shielded (gamma, beta, positron)	dose management (e.g. PET/CT)	C5	Take responsibility for conforming to local
	Х 3.		S2. Use devices which can be used to monitor		standards and standard SOPs while
	_	procedures, explain the biological basis on	•••		handling unsealed radioactive substances
			S3. Use all relevant laboratory equipment	S	Take responsibility for handling unsealed
	주 4.	_			radioactive substances in a manner that
			practical working routines so as to minimise		accidental / unintended exposure of oneself
	K5.				as well as co-workers is avoided
		which pieces of NM equipment. Explain why	S5. Be able to work very fast when handling	Q 4.	Comply with good manufacturing practice
		and how, and state what their frequency should	radionuclides but not at the expense of		when working within the radiopharmacy
əı		be	incurring an adverse incident	C2.	Take responsibility for interpreting QC tests
nio	Ж 6.	Explain the legal and clinical basis on which	S6. Be able to communicate effectively with		to determine whether NM equipment is
ib		NM procedures, both diagnostic and	patients and carers so that diagnostic		within manufacturer specification
əu		therapeutic, are requested and justified	examination requirements are met but not at	C6.	Take responsibility for drawing up the
ı ı	Κ7		the expense of compromising the patient		correct quantity of radiopharmaceutical for
es		examinations can be used as possible	_		administration, taking into account DRLs
clo		alternatives to NM procedures	S7. Be able to discuss with the medical referrer	C7.	Working within a devolved framework, justify
nu	Ж Ж	Explain how doses for children can be varied	on whether the requested NM procedure is		the diagnostic NM procedure
),		from those of adults		89	Take responsibility for obtaining patients'
oì	Ж Э.	_	S8. Be aware of the fact that after a radioactive		consent for diagnostic procedures; for
lsr	_	radiation risk to breast feeding infants; indicate	injection a patient should be separated from		explaining procedures to the patient and
10			_		responding appropriately to their questions
ijij	K10.		S9. Be able to prepare, manipulate and	03	Take responsibility for the administration of
р		practical steps can be taken to minimise	administer radioisotopes, to patients,		radiopharmaceuticals which are used for
A		radiation risk to radiosensitive organs (e.g.	assuring prior and post-administration		diagnostic procedures
				C10.	. Take responsibility for appropriate radiation
	X11.		S10. Perform laboratory tests (e.g. GFR)		protection advice to patients undergoing
	_	adverse reactions of drugs commonly			diagnostic NM procedures
	_	encountered within NM with a particular	whether NM equipment is within	C1	C11. Take responsibility for providing appropriate
		emphasis on radiopharmaceuticals and X-ray			care for patients whilst at the same time
		contrast agents	S12. Draw up the correct quantity of		minimising personal radiation dose
	K12.				
		the radiopharmaceuticals used for diagnostic	S13. Obtain patient consent for diagnostic		
	_		procedures; explain procedures to the		
	K13.		patient and respond appropriately to		
	_	technology can be used to minimise dose, and therefore risk from diagnostic NM procedures	duestions		

ce autonomy)	rforming the suitable stands xamination is nical deficiency rkllow such that tuals (e.g. pregn nts is minimised aling with		
Competence (responsibility and autonomy)	C12. Take responsibility for performing the diagnostic procedure to a suitable standard, ensuring that no repeat examination is required because of technical deficiency C13. Supervise the clinical workflow such that the risk of exposure to individuals (e.g. pregnant females) from other patients is minimised C14. Take responsibility for dealing with radioactive spills in a safe and efficient manner		
Skills (cognitive and practical)		S18. Organise clinical workflow so that radioactive patients have minimal contact with at risk individuals (e.g. pregnant females) S19. Decontaminate radioactive spills in a safe and efficient manner	
Knowledge (facts, principles, theories, practices)	oin () an an	protection requirements imposed for patients who are to undergo NM therapy procedures K18. For the radio-labelling of human products (e.g. white cells) explain how good manufacturing practice principles can be applied to minimise the incidence of radiation accidents K19. State how time, distance, shielding, monitoring and audit can be used to minimise dose received by staff, patients and public K20. With good practice in mind, explain how a radioactive spill should be dealt with K21. Explain how doses to pregnant females can be minimised when a diagnostic NM procedure	must be carried out K22. Explain how a radionuclide dose should be administered such that no, or very little, residue is left within the dispensing device (e.g. syringe) K23. For hybrid procedures involving X-ray CT explain the practical measures that should be carried out to minimise dose to staff, patient and members of the public K24. Explain DNA damage K25. Describe the cellular effects, mechanisms of
		ditional for nuclear medicin 중 중 중 중	

Table 6.1.3: Additional learning outcomes in radiation protection for radiotherapy technologists

		Knowledge		Skills		Competence
		(facts, principles, theories, practices)	((cognitive and practical)		(responsibility and autonomy)
	<u>주</u>		S1. L	Use medical devices in radiation	2	-
		safe and efficient use of medical devices used in radiation therapy,	T	therapy, including medical		perspective of the patient, the technical
		including medical imaging devices used for tumour localisation and	-=	imaging devices, used for tumour		and clinical aspects of the treatment
		treatment planning	_	ocalisation and treatment		while it is being conducted
	ζ.	Knowledge and understanding of the radiation physics underpinning	<u>.</u>	planning in a safe and effective	C5	Able to select and argue for a suitable
		radiation therapy treatments and medical imaging examinations for		manner		treatment on the basis of one's own
		tumour localisation and treatment planning to include: nuclear	S2. A	Analyse the properties of particle		analysis of a question and/or indication,
		structure, radioactive decay, interaction with matter, electromagnetic	ιυ	and electromagnetic radiation		give an account of this and advise
		radiation, particle radiation, sources of radiation, tissue in	S3. /	Apply treatment planning		accordingly
		homogeneity, wedges, weigh factors, beam shape and properties	-=	including 3D planning, virtual and	8	Work in an independent, methodical and
	8	Knowledge and understanding of radiation protection underpinning	0	CT simulation and apply these		evidence-based manner in terms of
		radiation therapy treatments and medical imaging examinations for	4	procedures to plan patients'		quality, complete the treatment and
λ		tumour localisation and treatment planning to include: radiation	τ.	treatments		report accordingly
gb		hazards, radiation shielding, detection methods, current national and	S4. F	Prepare treatment plans using	9.	Able to work in a safe manner when
ıəı		international radiation protection legislation and regulations relating to	_	IMRT and other techniques such		carrying out treatments with ionising
цĵ		staff, patients and the general public		as stereotactic, particle and IGRT		radiation, taking into account current
oik	Х 4	Knowledge and understanding of the radiobiology underpinning	S5. [Define the target and OAR using		safety standards, guidelines and
se.		radiation and cytotoxic therapy treatments, and medical imaging	_	ICRU terminology		regulations
) L		examinations for tumour localisation and treatment planning to	S6. L	Describe how DVHs are created	C5.	Critically evaluate the dose distribution
oì		include: cell biology, effects of ionising and non-ionising radiation,		and used to evaluate plans		and DVHs
ısı		radiation risks, radio sensitivity, side effects of radiation therapy	S7. F	g	S S	Optimise and evaluate the plan options
10		treatments		planning parameters on DVHs	С7.	Assess the daily physical and
1311	K5.	Explain DNA damage	S8. L	Use radiation protection methods		psychological status of the patient prior
эр	K6.	Describe the cellular effects, mechanisms of cell death	_	elating to staff, patients and the		to treatment
A	Κ7.	Explain the cell survival curves	ری	Ħ	89	Record all side effects and advise the
	8	Describe the normal tissue, solid tumour and leukaemia systems	O	current safety standards,		patient on their management in
	ξ 9.			guidelines and regulations		accordance with department protocol
	K10	Т.	S9. J	Justify and optimise all	69	Calculate/check monitor units and
		radiation modalities and interaction between cytotoxic therapy and	_			treatment times
		radiation	S10. F	Recognise OAR on medical	C10.	 Check treatment prescription
	X 11.	. Knowledge and understanding of Digital Reconstructed Radiograph	-=	images for tumour localisation and		calculations for accuracy and alert
		(DRR)		treatment planning		clinician of any discrepancies
	K12.		S11. F	Recognise the signs and		
	K13.	Knowledge and understanding of Gross Target Volu	σ.	symptoms associated with		
			_	reatment in different sites		
	Κ14.	. Knowledge and understanding of Organs at Risk (OAK) Knowledge and understanding of Dose Volume Histograms (DVH)				
	2					

	afinaliy	OKIIIS	competence
	(facts, principles, theories, practices)	(cognitive and practical)	(responsibility and autonomy)
	K16. Explain the collimating systems	S12. Identify the side effects	C11. Check decay tables/exposure rates for
	K17. Describe Brachytherapy systems	associated with the individual	Cobalt units are updated
	K18. Explain absorbed dose	treatment	C12. Apply safety procedures when using
	K19. Define target-absorbed dose specification in external RT	S13. Define the effects of concomitant	brachytherapy sources
	K20. Define target-absorbed dose specification in brachytherapy	treatment	C13. Assess patients undergoing external
	K21. Illustrate algorithms for 3D dose calculations	S14. Analyse stochastic and	beam radiotherapy and brachytherapy
	K22. Explain applications of conformal RT, IMRT, IGRT, stereotactic RT	deterministic effects	and refer them to the radiation
		S15. Define the parameters routinely	oncologist or other health professional
	K23. Describe radiation weighting factor	pesn	as appropriate
	K24. Explain the risk of induction of secondary tumours	S16. Recognise the critical structures	C14. Assess the practical problems
	K25. Explain equivalent dose – tissue weighting factor	on the verification images	associated with machine and
de	K26. Knowledge and understanding of the scientific basis of the range of	S17. Identify the imaging protocol	accessory equipment limitations and
	radiation therapy techniques and medical imaging techniques for	S18. Identify the daily entrance and exit	respond accordingly
	tumour localisation and treatment planning across the range of	dose and dose level of critical	C15. Optimise and evaluate plan options
	technology / equipment used along with the operational and	organs	C16. Carry out manual calculations
	maintenance, for professional purposes, so that equipment can be	S19. Be familiar with reporting systems	C17. Engage in QA and follow safety
	operated at the highest level of understanding	and reporting protocols	policies
	K27. Knowledge and understanding of positioning, immobilisation and	S20. Describe the radiation hazards	C18. Check if all parameters, devices and
	beam shielding devices used in radiation therapy	and how they are managed	settings are correct
	K28. Knowledge and understanding of radiation therapy verification	S21. Effective, safe and efficient use of	C19. Carry out in vivo dosimetry
		positioning, immobilisation and	C20. Evaluate results, take corrective action
	K29. Knowledge and understanding related to the technical appraisal of	beam shielding devices used in	as per protocol and report any
	diagnostic images for tumour localisation and treatment planning, to	radiation therapy	inconsistency
	facilitate judgements on acceptability and quality	S22. Use radiation therapy verification	C21. Analyse and record the results and
		systems safely, effectively and	report any deviations
		efficiently	C22. Report incidents and near incidents to
		S23. Perform, record and analyse QC	the multidisciplinary team
		activities	C23. Examine any incident or near incident
		S24. Approach occupational risks to	and how they can be prevented in the
		health and safety such as safe	future
		moving and handling of patients	C24. Routinely inspect the area to ensure
		and equipment in a safe and	that radiation protection measures are
		effective manner	in place and functional

7 LEARNING OUTCOMES IN RADIATION PROTECTION FOR MEDICAL PHYSICISTS/ MEDICAL PHYSICS EXPERTS

The KSC requirements in radiation protection for the medical physicist (MP) working with ionising radiation and the medical physics expert (MPE) are given in the 'Guidelines on the Medical Physics Expert' published by the EC as part of the radiation protection series [1]. These guidelines are based on the provisions regarding the MPE to be found in the revised Euratom BSS [2].

Member States shall ensure that in medical radiological practices, a medical physics expert is appropriately involved, the level of involvement being commensurate with the radiological risk posed by the practice. In particular:

- I. in radiotherapeutic practices other than standardized therapeutic nuclear medicine practices, a medical physics expert shall be closely involved;
- II. in standardized therapeutical nuclear medicine practices as well as in radiodiagnostic and interventional radiology practices, involving high doses as referred to in Article 60(1)(c), a medical physics expert shall be involved;
- III. for other medical radiological practices not covered by (a) and (b), a medical physics expert shall be involved, as appropriate, for consultation and advice on matters relating to radiation protection concerning medical exposure.'

Within the health-care environment, the MPE should act or give specialist advice on matters relating to radiation physics as applied to medical exposure and non-medical imaging exposure using medical equipment. Depending on the medical radiological practice, the MPE takes responsibility for dosimetry, including physical measurements for evaluation of the dose delivered to the patient and other individuals subject to medical exposure, gives advice on medical radiological equipment, and contributes, in particular, to the following:

- '(a) optimization of the radiation protection of patients and other individuals subjected to medical exposure, including the application and use of diagnostic reference levels;
- (b) the definition and performance of quality assurance of the medical radiological equipment;
- (c) acceptance testing of medical radiological equipment;
- (d) the preparation of technical specifications for medical radiological equipment and installation design;
- (e) the surveillance of the medical radiological installations;
- (f) the analysis of events involving, or potentially involving, accidental or unintended medical exposures;
- (g) the selection of equipment required to perform radiation protection measurements;
- (h) the training of practitioners and other staff in relevant aspects of radiation protection:

The following mission statement from the 'Guidelines on the MPE' document aims to make the role of the MP/MPE more understandable to decision-makers and managers of healthcare institutions and provide direction for those in other roles:

"Medical Physics Experts will contribute to maintaining and improving the quality, safety and cost-effectiveness of healthcare services through patient-oriented activities requiring expert action, involvement or advice regarding the specification, selection, acceptance testing, commissioning, quality assurance/control and optimised clinical use of medical radiological

devices and regarding patient risks from associated ionising radiations including radiation protection and the prevention of unintended or accidental exposures; all activities will be based on current best evidence or own scientific research when the available evidence is not sufficient. The scope includes risks to volunteers in biomedical research, carers and comforters" [1].

The key activities of the MP/MPE are: scientific problem-solving, dosimetry measurements, patient safety/risk management (including volunteers in biomedical research, carers, comforters and persons subjected to non-medical imaging exposure), occupational and public safety/risk management (when there is an impact on medical exposure or personal safety), clinical medical device management, clinical involvement, development of service quality and cost-effectiveness, expert consultancy, education of healthcare professionals (including medical physics trainees), health technology assessment (HTA) and innovation. These key activities are defined and elaborated in the 'Guidelines on the Medical Physics Expert' [1].

Owing to the special and wide-ranging involvement of MP/MPE in radiation protection the KSC inventory for these professionals is very extensive and cannot be reproduced here; the reader should refer to the aforementioned guidelines; the KSC for MP/MPE in the 'Guidelines on the Medical Physics Expert' are subdivided into:

- a) a Core KSC inventory common to all three specialties of medical physics, which involve ionising radiation, namely diagnostic radiology, IR, NM and radiation oncology,
- b) three additional KSC inventories each of which consist of the KSC specific to one of the above three specialties.

Further guidance can be found here [3-9].

7.1 Radiation protection professional entry requirements

The entry level certification requirement in radiation protection for MPs in a given specialty is EQF level 7 in all Core KSC, and the KSC specific to that particular specialty⁸ [1].

7.2 Continuous professional development in radiation protection

In the case of MPs, the term CPD has a special meaning which is advanced education, training and experience for the achievement of MPE status in their particular specialty of medical physics. The certification requirement in radiation protection for achievement of MPE status in a given specialty of medical physics is an EQF Level 8 in all the Core KSC and the KSC specific to that specialty [1].

References

[1] EC, 2014, RP174. Guidelines on Medical Physics Expert. Directorate-General Energy, Luxembourg (in Press).

-

The reader is referred to section 1.6 for more information.

- [2] Council of the European Union. (2013). Council Directive 2013/59/Euratom laying down basic safety standards for protection against the dangers arising from exposure to ionising radiation, and repealing Directives 89/618/Euratom, 90/641/Euratom, 96/29/Euratom, 97/43/Euratom and 2003/122/Euratom. Official Journal L-13 of 17.01.2014.
- [3] Jacob Geleijns, Éamann Breatnach, Alfonso Calzado Cantera, John Damilakis, Philip Dendy, Anthony Evans, Keith Faulkner, Renato Padovani, Wil Van Der Putten, Lothar Schad, Ronnie Wirestam, Teresa Eudaldo, "Core Curriculum for Medical Physicists in Radiology, Recommendations from an EFOMP/ESR Working Group", June 2011, http://www.efomp.org/images/docs/policy/CC%20radiology%20physics%20JUN_%202011.pdf (Last time accessed was on the 14th of December 2012).
- [4] IAEA, 2010, Training Course Series No. 47. Clinical Training of Medical Physicists specialising in Diagnostic Radiology. IAEA, Vienna, http://www-pub.iaea.org/books/IAEABooks/8574/Clinical-Training-of-Medical-Physicists-Specializing-in-Diagnostic-Radiology (Last time accessed was on the 14th of December 2012).
- [5] Alberto Del Guerra, Manuel Bardies, Nicola Belcari, Carmel J. Caruana, Stelios Christofides, Paola Erba, Cesare Gori, Michael Lassmann, Markus Nowak Lonsdale, Bernhard Sattler, Wendy Waddington, "Curriculum for education and training of Medical Physicists in Nuclear Medicine. Recommendations from the EANM Physics Committee, the EANM Dosimetry Committee and EFOMP", Physica Medica (2012), http://dx.doi.org/10.1016/j.ejmp.2012.06.004 (Last time accessed was on the 14th of December 2012).
- [6] IAEA,2011, Training Course Series No. 50. Clinical Training of Medical Physicists specialising in Nuclear Medicine. IAEA, Vienna, http://www-pub.iaea.org/books/IAEABooks/8656/Clinical-Training-of-Medical-Physicists-Specializing-in-Nuclear-Medicine (Last time accessed was on the 14th of December 2012).
- [7] Eriksen JG, et al., "The updated ESTRO core curricula 2011 for clinicians, medical physicists and RTTs in radiotherapy/radiation oncology", Radiotherapy and Oncology 2012 Apr;103(1):103-8, http://www.estro-education.org/courses/Documents/The%20updated%20ESTRO%20 core%20curricula%202011%20for%20clinicians,%20medical%20physicists%20and%2 http://www.estro-education.org/courses/Documents/The%20updated%20ESTRO%20 http://www.estro-education.org/courses/Documents/The%20updated%20ESTRO%20 https://www.estro-education.org/courses/Documents/The%20updated%20ESTRO%20 <a href="https://www.estro-education.org/courses/Documents/The%20updated%20ESTRO%20 <a href="https://www.estro-education.org/courses/Docum
- [8] Guidelines for Education and Training of Medical Physicists in Radiotherapy (updated 2nd edition. Feb.2011), http://www.estro-education.org/europeantraining/Documents/2nd%20finalised%20edition%20European%20CC%20Physics_16%2002%202011.pdf (Last time accessed was on the 14th of December 2012).
- [9] IAEA, 2009, Training Course Series No. 37. Clinical Training of Medical Physicists Specialising in Radiation Oncology. IAEA, Vienna, http://www-pub.iaea.org/books/IAEABooks/8222/Clinical-Training-of-Medical-Physicists-Specializing-in-Radiation-Oncology (Last time accessed was on the 14th of December 2012).

Learning outcomes in radiation protection for medical physicists/medical physics experts **Table 7.1**:

Knowledge (facts, principles, theories, practices)	Skills (cognitive and practical)	Competence (responsibility and autonomy)
For a comprehensive list of learning outcomes the EC's publication RP174, 'Guidelines	comprehensive list of learning outcomes in radiation protection for medical physicists/medical physics experts, please refer to the EC's publication RP174, 'Guidelines on Medical Physics Expert', Directorate-General Energy, Luxembourg (in Press).	ts/medical physics experts, please refer to neral Energy, Luxembourg (in Press).

8 LEARNING OUTCOMES FOR NURSES AND OTHER HEALTHCARE WORKERS NOT DIRECTLY INVOLVED IN THE USE OF IONISING RADIATION

It is essential that nurses and other healthcare workers not directly involved in the use of ionising radiation who work within a clinical area where ionising radiation is used are aware of the potential radiogenic risk.

When a nurse or other healthcare worker has any concerns relating to radiation protection, which are of an occupational nature, these should be referred to the radiation protection officer who would, if necessary, liaise with the RPE. If the concerns relate to patient protection they should be referred to the MPE.

Education and training in radiation protection for all such workers is essential [1]. This should be described in their professional charter or profile. The appropriate learning outcomes for these workers are given in table 8.1.

8.1 Radiation protection professional entry requirements

Radiation protection education and training is a minor subject for general ward nurses and should be part of their professional training. Such training should cover the core radiation protection education and training as specified in chapter two.

Nurses working in areas where ionising radiation is used should be specifically educated and trained in radiation protection at the level required for their duties in such areas. In most cases EQF level 5 is sufficient, but in some cases (e.g. IR and radiotherapy) this must be EQF level 69.

For other healthcare workers working in areas where ionising radiation is used, their radiation protection KSC should be at the level appropriate to their roles and duties within the specific areas where they work.

8.2 Continuous professional development in radiation protection

Nurses and other healthcare workers must maintain and advance their KSC through appropriate CPD activities essential for maintaining good practice.

References

[1] ICRP, 2009. Education and Training in Radiological Protection for Diagnostic and Interventional Procedures. ICRP Publication 113. Ann. ICRP 39 (5).

The reader is referred to section 1.6 for more information.

Learning outcomes in radiation protection for nurses and other healthcare workers **Table 8.1**:

		70			Je		(c)		<u>e</u>													
Competence	(responsibility and autonomy)	C1. Recognise the radiation hazards associated	with one's work and take measures to	minimise them	Recognise the limits of one's own knowledge	on radiation protection	3. Supervise untrained (re. radiation protection)	colleagues (nurses and other health care	workers) and prevent them from entering the	controlled areas while radiation is active												
		C			C5		33	_														
Skills	(cognitive and practical)	. Follow the instructions of radiation	professionals	 Put into practice the basic principles of 	preventing unnecessary exposure (time,	distance, shielding)	. Be aware of issues relating to continual care	of patients who undergo NM or brachytherapy	procedures	 Observe the rules relating to distance when 	caring for patients undergoing NM,	fluoroscopy or brachytherapy procedures										
		S1.		S5.			S3.			S4.												
Knowledge	(facts, principles, theories, practices)	K1. Know the basic physical principles of radiation	generation, interaction, modification and	protection	K2. Basic radiation physics, radiation hazards,	radiation biology and dose quantities and units	 K3. Know the dose distribution around the patient 	K4. Current national and international radiation	protection legislation and regulations relating to	workers	K5. Occupational risks, health and safety that may be	encountered	K6. List and explain radiation protection aspects with	respect to staff	 K7. Radiation risks to the unborn child during 	pregnancy	 K8. Radiation risks to the breastfeeding infant 	K9. Basic principles of shielding and its relation to	minimising occupational risks	K10. Knowledge about the particular protection of body	areas such as the gonads, eye lenses and thyroid	gland
		조			조		ᅐ		ມວ	91	رره <u>ح</u>	d ı		JJP	ib.	Z3		조		조		
							•		,,,	- +	J.1	. ·		,,0	:17	~ _						

9 LEARNING OUTCOMES FOR MAINTENANCE ENGINEERS AND MAINTENANCE TECHNICIANS

Preventive Maintenance (PM) is a necessary activity to ensure radiological equipment functions according to its specifications [1]. PM is carried out by engineers, or technicians, specifically trained to maintain and repair radiological equipment.

Whenever new radiological equipment is introduced in a healthcare facility, specific training should be provided by the manufacturer's engineers before the equipment is put into clinical use [2]. This training should be part of the commissioning process of the new radiological system. It is important to consider the manufacturer's responsibility to make complete and comprehensible maintenance and repair instructions available in the local language.

The background education and training of maintenance engineers and technicians is usually electrical or mechanical engineering without any radiation protection education and training content. Their KSC in radiological equipment maintenance and repair is acquired through the radiological equipment manufacturer's dedicated maintenance and repair training courses, specific to the type and model of the radiological equipment. These courses take place at the manufacturer's facilities and include theoretical and practical training on the maintenance and repair of the equipment without any specific emphasis on staff or patient radiation protection.

To safeguard the safety of the equipment users and patients after equipment maintenance, it is very important for maintenance engineers and technicians to follow a written procedure of handing over the equipment for clinical use after each preventive maintenance or repair. This procedure should be agreed together with the MPE and the hospital management.

The general radiation protection education and training of radiological equipment maintenance engineers and technicians should cover the core learning outcomes for radiation protection, as outlined in table 2.2. Furthermore, additional radiation protection education and training is required according to the complexity of the radiological equipment for which the maintenance engineers and technicians are responsible for maintaining and repairing, and they should be, at least, at EQF level 5. They should also include the additional KSC outlined in table 9.1.

9.1 Radiation protection professional entry requirements

The radiation protection professional entry requirements for maintenance engineers and technicians should be equivalent to EQF¹⁰ level 5, and should consist of at least the core learning outcomes from chapter two. Additional learning outcomes are necessary for the specific radiological equipment for which they are responsible for maintaining and repairing.

9.2 Continuous professional development in radiation protection

Maintenance engineers and technicians must maintain and advance their KSC through appropriate CPD activities, which are essential to maintain the proper functioning of the radiological equipment, which they are responsible for maintaining and repairing.

_

 $^{^{10}\}mbox{The reader}$ is referred to section 1.6 for more information.

References

- [1] WHO, 2011. WHO Medical device technical series, "Medical equipment maintenance programme overview", WHO, Geneva, 2011.
- [2] EC, 2000, RP 116. Guidelines on Education and Training in Radiation Protection for Medical Exposures. Directorate-General Environment, Luxembourg. http://ec.europa.eu/energy/nuclear/radiation_protection/doc/publication/116.pdf (Last time accessed was on the 14th of December 2012).

Additional learning outcomes in radiation protection for maintenance engineers and maintenance technicians Table 9.1:

	Knowledge	Skills	Competence
	(facts, principles, theories, practices)	(cognitive and practical)	(responsibility and autonomy)
Radiation protection	K1. Explain the basic physical principles of radiation generation, interaction with matter and modification K2. Explain occupational risks, health and safety that may be encountered and associated protection measures K3. Explain basic principles of shielding and its relation to minimising occupational risks K4. Describe the equipment handover procedure	S1. Apply the basic principles of preventing unnecessary exposure (time, distance, shielding) in their practice S2. Apply the equipment handover procedure	C1. Take responsibility for recognition of the radiation hazards associated with one's work and take measures to minimise them C2. Recognise the limits of one's own knowledge on radiation protection and seek advice from the RPE C3. Coordinate the equipment hand over procedure

10 ACCREDITATION, CERTIFICATION AND RECOGNITION OF MEDICAL EDUCATION AND TRAINING IN RADIATION PROTECTION

There is a strong demand for new education and training courses in medical radiation protection due to the rapid development of medical techniques based on ionising radiation, growth of hospitals and the continuous need to produce competent health professionals. However, external assessment of the quality of education or training provision is needed [1].

Accreditation is a process by which a recognised body assesses and recognises that education and/or training in medical radiation protection provided by an institution meets acceptable levels of quality. There are two parties involved in this process: the institution that provides education and training and an external organisation, which performs the external assessment and awards accreditation as a result of positive evaluation.

Recognition is a process by which a national authority recognises the professional equivalence of foreign higher education diplomas or other evidence of formal qualifications awarded upon the completion of a course at a higher education institution.

Certification is a process that recognises an individual medical professional who has demonstrated special knowledge and expertise in medical radiation protection, and has successfully completed the education or training provided by an accredited organisation. Medical personnel certified in radiation protection bring important benefits to their patients and themselves. Because of their special education and training, certified medical personnel demonstrate knowledge and confidence in the field of medical radiation protection, enabling them to justify and optimise medical procedures and provide better patient care. Certification should not be issued for an unlimited period of time. Recertification is required after a specific time span, usually three to five years. Recertification programmes should be based on CPD models.

Accreditation should be based upon established standards and guidelines [2]. The minimum requirements for accreditation of a training programme should take into account aspects related to admission policy, facilities, staff, certification programmes, educational material, teaching methods, administration and archives, course updates and course evaluation. Training in medical radiation protection should be provided in clinical radiation facilities. Hands-on training can be very effective because it provides real-world experience by allowing the trainee to carry out measurements and understand radiation protection techniques, rather than just hear about them. All staff should possess appropriate qualifications and experience in medical radiation protection.

Specifically, in order to plan and provide effective education and training, education providers should have the necessary knowledge and skills in the radiation protection aspects of the procedures carried out by the practitioners involved in the training activity [1]. Training in medical radiation protection is very challenging, considering the rapid technological developments and the complex science involved in modern imaging procedures. For this reason, the development of 'train-the-trainer' schemes is of crucial importance to provide the best possible opportunities to MPs and other experts involved in medical radiation protection training.

Scientific programme contents and educational material should be reviewed periodically to ensure that they remain up-to-date. Course evaluation is usually performed at the end of a course or semester using a questionnaire. Course participants answer questions related to several aspects of the educational process such as educational material, course duration and teaching effectiveness. An accreditation decision should be made following a periodic on-site evaluation by a team of experts in the field of medical radiation protection.

Certification is usually based on examinations. Several evaluation methods can be considered for examining knowledge in medical radiation protection, including written examinations, oral examinations and research projects. Recertification programmes ensure that certified professionals maintain, develop or improve KSC in the area of medical radiation protection for which they are certified.

There are several initiatives and tools developed by the EC to facilitate the accreditation, certification, validation and recognition of knowledge, as well as to promote the mobility of students, educators and researchers. The EQF for LLL is a tool based on learning outcomes and aims to relate national qualifications frameworks to a common European reference framework [3]. The European Credit Transfer and accumulation System (ECTS) is a grading system developed to facilitate the transfer of students. One year of a study programme is equivalent to 60 credits. The ECTS is compatible with the EQF and can help medical radiation protection schools to implement QA procedures [4]. The European Credit system for Vocational Education and Training (ECVET) is a system for credit accumulation and transfer for vocational education and training [5]. The ECVET credit system allows individuals to obtain a vocational certificate by obtaining units at the most appropriate pace. A difference between the ECTS and ECVET credit systems is that the ECVET credit system is based on learning outcomes, whereas ECTS is based on time spent on an educational activity.

Medical radiation protection education and training courses must be accredited by an external, independent accreditation body with the involvement and representation of the relevant specialists. In accordance with the EQF, guidelines presented in the current document list the required learning objectives in terms of knowledge, skills and competences in table format. Information is provided separately for each medical profession working with ionising radiation. This information can be used by accreditation bodies to evaluate the content of education and training programmes in medical radiation protection offered by organisations such as professional and scientific societies, radiation protection competent authorities, etc. The ECTS can be used not only for the main higher education degrees, but also for LLL activities. The appendix to this section gives an example of how to calculate indicative ECTS using the KSC for radiographers. When using the ECTS for continuing education, the same principles for credit award, accumulation and transfer apply as for credits allocated to higher education programmes [4].

References

- [1] ICRP, 2009. Education and Training in Radiological Protection for Diagnostic and Interventional Procedures. International Commission on Radiological Protection (ICRP) Publication 113, Ann ICRP (2009) 39(5).
- [2] Accreditation and quality assurance in vocational education and training. Selected European approaches. European Centre for the development of vocational training, CEDEFOP, Luxembourg, 2009.
- [3] Recommendation of the European Parliament and of the Council of 23 April 2008 on the establishment of the European Qualifications Framework for lifelong learning (Official Journal C 111, 6.5.2008).
- [4] ECTS Users' Guide. European Communities, Brussels, 2009.
- [5] The European Credit System for Vocational Education and Training (ECVET). Get to know ECVET better. Questions and Answers. European Commission, 2011.

APPENDIX: SYLLABUS AND ECTS MODEL FOR RADIATION PROTECTION EDUCATION AND TRAINING

Introduction

In 1999, several European Countries (currently 41) signed the Bologna Declaration, which aims to create the European Higher Education Area (EHAE), by harmonising academic degrees and QA standards throughout Europe [1].

To that end, a credit system (ECTS) was introduced [2]. ECTS makes teaching and learning in higher education more transparent, facilitates the recognition of studies, and allows for the transfer of learning experiences between different institutions. It also serves curriculum design and QA.

An academic year corresponds to 60 ECTS, and the first educational cycle (Bachelor level) can vary from 180 to 240 ECTS. The second cycle (Master level) can vary from 90 to 120 ECTS and the third cycle (PhD level) can vary from 180 to 240 ECTS. These three cycles correspond respectively to level 6, 7 and 8 of the European LLL EQF [3].

One ECTS represents a study workload between 25 and 30 hours with all study activities included (e.g.: self-study, attending classes, exams, skills lab, etc.).

ECTS for education and training

In order to assist with the calculation of the corresponding number of ECTS from the KSC specified for each of the professions considered in this document, the KSC for radiographers have been used as an example.

Radiation protection education and training is included in all radiographer education programmes, but there is still lack of harmonisation, not only in terms of syllabus, topic or workload, but also in terms of the different education models used to obtain the KSC in radiation protection, as these can be obtained through several educational and pedagogical methods.

There is no unambiguous or simple tool to convert curriculum items into credits. To solve this, the European Commission developed an ECTS users' guide [2] that gives orientation on the concept and the way to implement the ECTS. In addition, practical information about this guide was published by Richard de Lavigne [4], Counsellor for ECTS and the Diploma Supplement for the EC.

In order to build their new curriculum according to the Bologna Process, using the methodology proposed by Karjalainen A. et al [5] and the credit calculator excel sheet, provided by the same author, a number of Radiographers' higher educational institutes (HEI) surveyed their students and academics regarding the necessary workload for each syllabus or module.

Nevertheless, each model for determining workload is always hypothetical and can only be verified during its practical implementation.

To build this example, Radiographers' HEI were asked about the amount of ECTS dedicated specifically to radiation protection.

The following recommendation represents average values after eliminating 15% of the lowest and highest values:

- 20 ECTS for radiation protection education and training for Radiography;
- Total workload in hours: 540;
- Contact hours: 240 (140 theoretical + 100 practical);
- Independent study hours: 300 (1.25 hours of personal study for each contact hour).

Independent of the model used by the HEI, the students should always be assessed in order to assure that the KSC in radiation protection education and training is obtained.

Only as a suggestion (because the HEI are autonomous in defining their curricula), the recommended syllabuses are given in Table A1 matched with the topics in Table 2.1.

ECTS for continuous professional development

CPD programmes should ideally be developed and organised using ECTS methodology for credit award, not only because it would facilitate the recognition process (at national and international level), but also because it would allow the creation of a quantitative indicator of what health professionals dealing with ionising radiation should obtain during their LLL activities [3].

References

- [1] Bologna declaration of June 1999, http://www.bologna-bergen2005.no/Docs/00-Main_doc/990719BOLOGNA_DECLARATION.PDF (Last time accessed was on the 14th of December 2012).
- [2] ECTS users' guide, Luxembourg: Office for Official Publications of the European Communities, 2009, ISBN: 978-92-79-09728-7, http://ec.europa.eu/education/lifelong-learning-policy/doc/ects/guide_en.pdf (Last time accessed was on the 14th of December 2012).
- [3] European Parliament and Council (2008) Recommendation 2008/C 111/01 on the establishment of the European Qualifications Framework for Lifelong Learning. Official Journal of the European Union 6.5.2008.

 http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=oj:c:2008:111:0001:0007:en:pdf (Last time accessed was on the 14th of December 2012).
- [4] Richard de Lavigne, ECTS credits and methods of credit Allocation, http://ci.univ-lille1.fr/english_version/pdf/credit_allocation.pdf (Last time accessed was on the 14th of December 2012).
- [5] Karjalainen A. et al., A Practical Guide for Teachers and Curriculum Designers: Give me time to think: determining student workload in higher education, Oulu University Press, 2008, ISBN 978-951-42-8782-4, http://www.oulu.fi/w5w/tyokalut/GET2.pdf (Last time accessed was on the 14th of December 2012).

Recommended syllabus and ECTS for radiation protection education and training for radiographers Table A1:

0.4011.0	O F C		From Table 2.1
Synabus	2	Topic number	TOPIC
		6	General principles of radiation protection
		10	Operational radiation protection
, +0 300 CO CO (+0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Ц	11	Particular patient radiation protection aspects
Nadiation protection and safety	ဂ	12	Particular staff radiation protection aspects
		16	National regulations and international standards
		19	Justification of imaging examinations
		4	Physical characteristics of X-ray systems
Quality control and optimisation in medical imaging and radiotherapy	5	5	Fundamentals of radiation detection
		15	Quality control and quality assurance in radiation protection
		9	Fundamentals of radiobiology, biological effects of radiation
	c	7	Risks of cancer and hereditary disease and effective dose
Nadiobiology	ဂ	8	Risks of deterministic effects
		14	Risks from foetal exposure to ionising radiation
		3	Radiological quantities and units
ייייס מייסים מייסיולים מייולים מיילים	_	13	Typical doses from diagnostic procedures
Nadiation priyates and dostinetry	†	17	Dose management of pregnant patients
		18	Dose management of pregnant staff
Nicolar and atomic physics	٣	1	Atomic structure, X-ray production and interaction of radiation
ואטיפמו מוט מיסיווי איז איז איז איז איז איז איז איז איז אי	2	2	Nuclear structure and radioactivity

11 EDUCATION AND TRAINING RESOURCES

When searching the internet hundreds of teaching resources on radiation protection can be found; however, it is not clear whether these resources are accurate and reliable. A list of radiation protection education and training resources verified by the contributors to these guidelines is provided below.

Most of these resources can be downloaded for free. The resources listed are not exhaustive and were available at the time of print.

11.1 European Commission Radiation Protection

http://ec.europa.eu/energy/nuclear/radiation_protection_en.htm (Last accessed on the 12th of December 2012).

This is the official website of the EC where all the relevant European radiation protection legislation can be found, as well as a large number of relevant guideline documents.

http://ec.europa.eu/energy/nuclear/radiation_protection/medical/applications_en.htm (Last accessed on the 12th of December 2012).

Recently a 'medical applications' web page was introduced, which is more specific to radiation protection for medical applications. Relevant conferences and workshops are announced, as well as a plethora of other relevant information.

11.2 IAEA Radiation Protection of Patients

https://rpop.iaea.org/RPOP/RPoP/Content/index.htm (Last accessed on the 12th of December 2012).

This is a Web page on the official website of the IAEA where information for healthcare professionals, patients and the public can be found on the Radiation Protection Of Patients (RPOP). It provides educational and training material, recent publications and other relevant information. This can be regarded as a one-stop shop for the radiation protection of patients.

11.3 Image Wisely

http://www.imagewisely.org/About-Us (Last accessed on the 12th of December 2012).

The American College of Radiology (ACR) and the Radiological Society of North America (RSNA) formed a Joint Task Force on Adult Radiation Protection to address concerns about the surge of public exposure to ionising radiation from medical imaging. The Joint Task Force collaborated with the American Association of Physicists in Medicine (AAPM) and the American Society of Radiologic Technologists (ASRT) to create the Image Wisely campaign with the objective of lowering the amount of radiation used in medically necessary imaging studies and eliminating unnecessary procedures.

Image Wisely offers resources and information to radiologists, MPs, other imaging practitioners, and patients.

11.4 Image Gently

http://www.pedrad.org/associations/5364/ig/ (Last accessed on the 12th of December 2012).

The Image Gently campaign is an initiative of the Alliance for Radiation Safety in Paediatric Imaging. The campaign's goal is to change practice by increasing awareness of the opportunities to promote radiation protection in the imaging of children. It provides educational and training material, recent publications and other relevant information.

11.5 International Commission on Radiological Protection (ICRP)

http://www.icrp.org/ (Last accessed on the 12th of December 2012).

The work of the ICRP helps to prevent cancer and other diseases and effects associated with exposure to ionising radiation, and to protect the environment.

The ICRP publish reports on all aspects of radiological protection. Most address a particular area within radiological protection, but a few publications, the so-called fundamental recommendations, describe the overall system of radiological protection. The **International System of Radiological Protection** has been developed by ICRP based on (i) the current understanding of the science of radiation exposures and effects and (ii) value judgements. These value judgements take into account societal expectations, ethics, and experience gained in the application of the system.

11.6 International Radiation Protection Association (IRPA)

http://www.iradiation.protectiona.net/ (Last accessed on the 12th of December 2012).

IRPA is recognised by its members, stakeholders and the public as the international voice of the radiation protection profession in the enhancement of radiation protection culture and practice worldwide

11.7 Optimization of Radiation protection for Medical Staff (ORAMED)

http://www.oramed-fp7.eu/en (Last accessed on the 12th of December 2012).

ORAMED (Optimization of RAdiation protection for MEDical staff) aims at the development of methodologies for better assessing and reducing exposure to medical staff during procedures that have potentially large doses or complex radiation fields, such as IR, NM and new developments. It also provides education and training material.

11.8 European Medical ALARA Network (EMAN)

http://www.eman-network.eu/ (Last accessed on the 12th of December 2012).

This is a new European network created for stakeholders within the medical sector to have the opportunity to discuss and exchange information on various topics relating to the implementation of the ALARA principle in the medical field.

This network also supports the EC in its activities relating to the optimisation of radiation protection of individuals submitted to medical exposure.

11.9 European Training and Education in Radiation Protection (EUTERP) Foundation

http://www.euterp.eu/(last accessed on the 27th of January 2013).

The EUTERP Foundation is an independent legal entity set up to provide a centralised European source of information on radiation protection education and training matters. It is a focal point for the discussion and development of European training activities in Radiation Protection in all the fields using ionising radiation, including the medical field.

11.10 Heads of the European Radiological protection Competent Authorities (HERCA)

http://www.herca.org/ (Last accessed on the 12th of December 2012).

HERCA (Heads of the European Radiological protection Competent Authorities) is a voluntary association in which the heads of radiation protection authorities work together in order to identify common issues and propose practical solutions for these issues. HERCA is working on topics generally covered by provisions in the Euratom Treaty. The programme of work of HERCA is based on a common interest in significant regulatory issues.

The goal of HERCA is to contribute to a high level of radiological protection throughout Europe.

11.11 American College of Radiology (ACR)

http://www.acr.org/ (Last accessed on the 12th of December 2012).

The ACR include radiologists, radiation oncologists, MPs, interventional radiologists, NM physicians and allied health professionals. For over three quarters of a century, the ACR has devoted its resources to making imaging safe, effective and accessible to those who need it.

The ACR serves patients and society by maximising the value of radiology, radiation oncology, IR, NM and medical physics.

11.12 Australian Department of Health of Western Australia

http://www.imagingpathways.health.wa.gov.au/includes/index.html (Last accessed on the 12th of December 2012).

This website provides a clinical decision support tool and educational resources for diagnostic imaging.

ABBREVIATIONS

AAPM American Association of Physicists in Medicine

ACR American College of Radiology

ALARA As Low As Reasonably Achievable

ASRT American Society of Radiologic Technologists

BEV Beams Eye View

BSS Basic Safety Standards

CanMEDS Canadian Medicine Specialists

CIRSE Cardiovascular and Interventional Radiological Society of Europe

CME Continuous Medical Education

CPD Continuous Professional Development

COM Commission

CT Computed Tomography

CTDI Computed Tomography Dose Index

CTV Clinical Target Volume

DAP Dose Area Product

DLP Dose Length Product

DRL Diagnostic Reference Level

DRR Digital Reconstructed Radiograph

DVH Dose Volume Histogram

DSA Digital Subtraction Angiography

EANM European Association of Nuclear Medicine

EC European Commission

ECTS European Credit Transfer and accumulation System

ECVET European Credit System for Vocational Education and Training

El Educational Institute
EU European Union

EFRS European Federation of Radiographer Societies

EFOMP European Federation of Organisations for Medical Physics

EMAN European Higher Education Area
EMAN European Medical ALARA Network

ENETRAP European Network on Education and Training in Radiation Protection

EQF European Qualifications Framework

ESD Entrance Surface Dose

ESR European Society of Radiology

ESTRO European Society for Therapeutic Radiology and Oncology

Guidelines on radiation protection education and training of medical professionals in the European Union

ESVS European Society for Vascular Surgery
Euratom European Atomic Energy Community

GFR Glomerular Filtration Rate

GP General Practitioner
GTV Gross Target Volume

HEI Higher Education Institution

HENRE Higher Education Network for Radiography in Europe

HERCA Heads of the European Radiological Protection Competent Authorities

HTA Health Technology Assessment

IAEA International Atomic Energy Agency

ICRP International Commission on Radiological Protection

IORT IntraOperative Radiation Therapy

IR Interventional Radiology
KAP Kerma Area Product

KSC Knowledge, Skills and Competence

LET Linear Energy Transfer

LILL Lifelong Learning
LNT Linear No-Threshold

MED Medical Exposures Directive

MEDRAPET Medical Radiation Protection Education and Training

MP Medical Physicist

MPE Medical Physics Expert

MS Member States
NM Nuclear Medicine

NMT Nuclear Medicine Technologist

OLINDA/EXM Organ Level INternal Dose Assessment/EXponentialModeling

OR Operating Room
OAR Organs at Risk

ORAMED Optimization of RAdiation protection for MEDical staff

PET Positron Emission Tomography

PET/CT Positron Emission Tomography/Computed Tomography

PM Preventive Maintenance
PS Professional Societies
PTV Planning Target Volume

QA Quality Assurance
QC Quality Control

RCR Royal College of Radiology

RP116 Radiation Protection Report 116
RPA Radiation Protection Authority
RPE Radiation Protection Expert

RPOP Radiation Protection of Patients

RSNA Radiological Society of North America

RTT Radiation TherapisTs

SPECT Single Photon Emission Tomography

SPECT/CT Single Photon emission Computed Tomography/Computed Tomography

SOP Standard Operating Procedure

TIPS Transjugular Intrahepatic Portosystemic Shunt

UEMS European Union of Medical Specialists

UNSCEAR United Nations Scientific Committee on the Effects of Atomic Radiation

WHO World Health Organisation

ACKNOWLEDGEMENTS

Project Leader

John Damilakis, ESR

Guidelines Leader

Stelios Christofides, EFOMP

Administrative and Secretariat Support

Monika Hierath, ESR Angelika Benkovszky, ESR Stephanie Hopf, ESR Sonja Guttenbrunner, ESR

Reviews

Steve Ebdon-Jackson, Department Health,

UK (HERCA)

Stuart Conney, Department Health, UK

(HERCA)

Olivier Le Moine (ESGE)

Annemarie Schmitt-Hannig, BfS (HERCA)

G. Hamilton (ESVS)

S. Parvin (ESVS)

C. Liappis (ESVS)

Van Bladel Lodewijk, Federal Agency for Nuclear Control, Belgium (HERCA)

Sven Richter, Swedish Radiation Safety

Authority, Sweden (HERCA) Richard Paynter, (EUTERP)

Endorsements

ESR (European Society of Radiology

EFOMP (European Federation of

Organisations for Medical

Physicists)

EFRS European Federation of

Radiographers Societies)

EANM (European Association of Nuclear

Medicine)

ESTRO (European Society for

Radiotherapy and Oncology)

CIRSE (Cardiovascular and

Interventional Radiological

Society of Europe)

EUTERP (European Training and

Education in Radiation Protection Foundation)

ESVS European Society for Vascular

Surgery

Contributors

John Damilakis, ESR

Peter Vock, ESR

Natasa Brasik, ESR

Stelios Christofides, EFOMP

Carmel J. Caruana, EFOMP

Jim Malone, EFOMP

Graciano Paulo, EFRS

Sija Geers-van Gemeren, EFRS

Dean Pekarovic, EFRS

Wolfgang Eschner, EANM

Andrea Bauer, EANM

Dag Rune Olsen, ESTRO

Mary Coffey, ESTRO

Efstathios Efstathopoulos, CIRSE

Dimitrios Tsetis, CIRSE

Robert Bauer, CIRSE

Gabriel Bartal, CIRSE

Christos Liapis, ESVS

Madan, Rehani, IAEA

Maria del Rosario Perez, WHO

Ruzica Maksimovic, WHO

Annemarie Schmitt-Hannig, BfS

Ritva Bly, HERCA

Keith Horner, UK

Jackie Brown, UK

It should also be acknowledged that during the MEDRAPET workshop that was held in Athens, Greece between the 21st and 23rd of April 2012, a lot of constructive feedback was received from a wide range of participants, including regulators, representatives of professional societies, equipment manufacturers' associations and individuals.

ANNEX: ICRP 113 TABLES 3.1 AND 3.2

The ICRP 113 tables 3.1 and 3.2 are reproduced below with the kind permission of the ICRP.

Table 3.1. Recommended radiological protection training requirements for different categories of physicians and dentists.

Training area				Category	ry			
	1DR	2NM	3CDIMDI	4MDX	SMDN	6MDA	7DT	8MD
Atomic structure, x-ray production, and interaction of radiation	ш	h	_	_	_	-	_	I
Nuclear structure and radioactivity	٤	٦	_	I	٤	I	I	I
Radiological quantities and units	٤	۲	٤	٤	Ε	_	_	_
Physical characteristics of x-ray machines	٤	_	٤	٤	_	_	٤	I
Fundamentals of radiation detection	٤	۲	_	_	Ε	I	_	I
Principle and process of justification	۲	۲	ح	۲	Ч	Ч	Ч	٤
Fundamentals of radiobiology, biological effects of radiation	٦	٦	٤	٤	٤	_	_	_
Risks of cancer and hereditary disease	ح	ح	٤	٤	٤	_	٤	٤
Risk of deterministic effects	٦	٦	ح	٤	_	_	٤	_
General principles of radiation protection including optimisation	٦	٦	ح	٤	٤	٤	٤	_
Operational radiation protection	ح	ح	ح	٤	۲	٤	٤	_
Particular patient radiation protection aspects	ح	ح	ح	ح	Ч	٤	Ч	_
Particular staff radiation protection aspects	٦	٦	ح	٦	Ч	٤	Ч	_
Typical doses from diagnostic procedures	ح	ح	٤	٤	٤	٤	٤	٤
Risks from foetal exposure	ح	ح	_	٤	٤	_	_	_
Quality control and quality assurance	٤	ح	٤	_	_	I	_	I
National regulations and international standards	٤	٤	٤	٤	٤	_	٤	_
Suggested number of training hours	30–20	30–20	20–30	15–20	15–20	8–12	10–15	5-10

students; I, low level of knowledge indicating a general awareness and understanding of principles; m, medium level of knowledge indicating a basic understanding of the topic, sufficient to be able to educate others. RP, radiological protection; DR, diagnostic radiology specialists; NM, nuclear medicine specialists; CDI, interventional cardiologists; MDI, interventionalists from other specialties; MDX, other medical specialists using x-ray systems; MDN, other medical specialists using nuclear medicine; MDA, other medical doctors assisting with fluoroscopy procedures such as an aesthetists and occupational health physicians; DT, dentists; MD, medical doctors referring for medical exposures and medical

Recommended radiological protection training requirements for categories of health care professionals other than physicians or dentists. **Table 3.2.**

Training area				ပြိ	Category				
ı	9MP	10RDNM	11ME	12HCP	13NU	14DCP	15CH	16RL	17REG
Atomic structure, x-ray production, and interaction of radiation	h	Е	ш	_	_	ш	_	ш	_
Nuclear structure and radioactivity	ح	٤	٤	I	I	I	I	٤	_
Radiological quantities and units	٦	٤	٤	_	_	_	٤	٤	٤
Physical characteristics of x-ray machines	٦	Ч	Ч	٤	I	_	Ε	_	_
Fundamentals of radiation detection	٦	Ч	Ч	-	_	_	_	E	_
Principle and process of justification	٦	Ч	I	_	_	_	Ч	I	٤
Fundamentals of radiobiology, biological effects of radiation	٦	٤	-	٤	_	_	٤	٤	_
Risks of cancer and hereditary disease	٦	Ч	_	٤	_	٤	٤	٤	٤
Risks of deterministic effects	٦	۲	I	_	_	_	٤	_	٤
General principles of radiation protection including optimisation	٦	ב	٤	٤	Ε	٤	٤	٤	٤
Operational radiation protection	ح	ב	٤	٤	Ε	٤	٤	۲	٤
Particular patient radiation protection aspects	٦	Ч	٤	ح	Ε	٤	Ч	I	٤
Particular staff radiation protection aspects	٦	Ч	٤	ح	Ε	٤	Ч	Ч	٤
Typical doses from diagnostic procedures	ح	ב	_	_	I	_	٤	ı	_
Risks from foetal exposure	ح	ב	_	٤	_	_	٤	E	_
Quality control and quality assurance	ح	ב	۲	_	I	٤	Ε	_	٤
National regulations and international standards	ح	٤	٦	٤	_	_	٤	٤	٦
Suggested number of training hours	50-200	150-200 100-140	30-40	15–20	8–12	10–15	10–30	20–40	15–20

CH, chiropractors and other healthcare professionals referring for, justifying, and delivering radiography procedures (amount of training depends on range of tasks performed); RL, radiopharmacists and radionuclide laboratory staff; REG, regulators; I, low level of knowledge indicating a general awareness and understanding of medicine technologists, and x-ray technologists; HCP, health care professionals directly involved in x-ray procedures; NU, nurses assisting in x-ray or nuclear medicine RP, radiological protection; MP, medical physicists specialising in radiation protection, nuclear medicine, and diagnostic radiology; RDNM, radiographers, nuclear procedures; DCP, dental care professionals including hygienists, dental nurses, and dental care assistants; ME, maintenance engineers and applications specialists; principles; m, medium level of knowledge indicating a basic understanding of the topic, sufficient to influence practices undertaken; h, high level of detailed knowledge and understanding, sufficient to be able to educate others.



